KCA NATIONALS

KARTS IN COMPETITION

ROADSTERS PAST, PRESENT, FUTURE

Cad Cart



From drawing board to final testing, there has been no compromise with quality. Each Cad-Cart is complete and ready to roll as advertised, including Heliarc welded chrom-moly steel tube frame and all bolts and washers Cadmium-plated, Polished cast aluminum wheels, Luxury-padded black naugahyde upholstery, 48° wheel base and 36° tread with extreme low center of gravity. Center mount engine and drive for perfect balance. Clinton A-490, 2 cycle engine. Cad-Cart is fully equipped to one standard... the finest... with one price of \$289.50, EO,B. factory plus state tax. Terms are 25° down with order, balance on delivery.



Hardened, ground king pins with Zerk fitting, New Departure sealed ballbearings, axle set 10° caster, 4° comber - self-acigning, hall out there and and



Exclusive with Cad Cart, these highly polished cast aluminum wheels designed for light



Belly pan included-not shown

Rack and pinion type steering gear for accurate, easy, smooth and safe steering.



Incomparable precision engineering,

Unitized clutch and spot disc brake with unique jack shaft arrangement for competition quick change gearing—chair driven primary and final drive

Prices and leatures subject to change without notice

Cad-Cart 5701 S. San Pedro St., RC-11, Los Angeles 11, Calif. ADams 2-7379



- · Naedle and ball bearing construction
- · Steel rad for strength and long life
- Case hardened crank
- Drive end accommodates standard clutches
- Lightweight (13½ lbs.) and compact
- Snappy 2-cycle acceleration

King of All Class Competitions

That's right! West Bend engines were a 3 to 1 choice of kart owners over the next popular make at karting's first National Championships held at Go-Kart Raceway at Azusa, California, July 10-12. Choose the proven favorite in karting, see your West Bend distributor today!

ı			H.P.	R.P.M.	Bore/Stroke	Cu. In. Displ.	Drive End
ļ	SERIES	510	3	4500	2" x 136"	5.10	X4"
	SERIES	700	5	5500	21/4" x 13/4"	7.00	X4"

Fuel line kit, muffler assembly, mounting bracket available from authorized West Bend distributor. For name and address of distributor near you, write:

WEST BEND ALUMINUM CO., Dept. 98B, Hartford, Wisconsin



LYNN WINELAND TOM UHLER CHRIS PREEMAN LARRY HESTER MIKE QUALTERS

> of t forn

> 9 1 the mad the kor

member automotive press association

STREET ROADSTERS



KARTS IN COMPETITION



REVIEW OF ROADSTERS

	32 RAILS										
MAINE D	EUCE stree	t roadster	holds its	own in the	a cold c	ountry.				 	
WASHIN	31ON '32	this model	tops popi	ularity list	from co	past to	coast			 	
CALIFOR	HA CHEVY	'31 stove	bolt with	get-up-and	l-go from	n a ne	w V8.		* 4	 	
CANADIA	N CHEVY	our neigh	bors to the	north go	the rou	ute on	the '3	١		 	
	EUCE comb										
TREET R	DADSTER 1	960 the '	32 gets the	e shape o	of things	to con	10			 	
			updating a	DAG 1							

KARTS FOR GO

THE GKCA NATIONALS kartings oldest club holds a big one	31
NEW NATIONAL KART CLUB a goin' group with plans for the world	52
KARTING AROUND THE COUNTRY new tracks spring up all over the place	53
PUTT PUTTS FOR PROGRESSIVES pelly imagines a factory-made racing kart	66
THE LONGEST HAUL OF ALL endurance run for karts tops 5000 miles	61
ARIN CEE educating the girlfriend to the finer things in life	63
KARTING IS BIG BUSINESS fast growth of the industry gives growing pains	64
SOUPING THE TWO STROKE basic and latest developments in 2 cycles	61
MORE ON GO KART ENGINES even the factories are getting into the act	70
BACKPRESSURE some significant engineering work on kart design	97

							-								-	-		- 6			-			-	*	-		
0 T	FORCE	E D	0	UT	Y	A	D	V E	R	TI	5	11	N	G														
CC	INTENTS				 											 												
	ERYBODY																											
	E STARTIF																											
	JR READE																											
AL	TOMART				 																						. 22	2
																						-	_		_			ı

NOVEMBER 1959

adflur graphics adition production advertising

. 22 JSTOM the past, present and future of that disappearing breed we rate as our most popular form of transportation.....

particular particular

D Inde

NOVEMBER, 1959





This month's Starting Line photos pay homage to two related yet vastly different types. On the left, two karts rapidly accelerate past the leaping flagman at a recent national championship. The same race day found direct drive machines getting their familiar push.

THIS ISSUE of R&C is the milestone marking two years since we introduced the motoring public to a strictly localized activity involving tiny four-wheeled structures powered by surplus lawn mower engines. Skittering about on an unused parking lot provided low-cost thrills in a package to fit the family budget as well as each member of the family itself. In a story called "Putting Wheels Under the Peasants" we gave the first coverage to a sport we chose to call—a title which the world has clasped to itself—go karting. This descriptive terminology is often shortened to "karting", for to such proportions has the sport grown that the simpler term suffices to all but the vastly uninformed.

Occasionally called to task by readers in the aforementioned group who maintained that any correlation between karts and hot rods or customs was pure fancy, this publication stuck to its guns and continued to report on the snowballing effect visible across the face of the land. On several occasions, we found that accurate reporting meant virtual devotion of our entire editorial section to the mites. Even so, much karting coverage was held out for lack of space, along with our beloved rods and customs. R&C was soon recognized as the unofficial handbook of the karting sport with the result that we felt mixed emotions - having a sense of fatherly responsibility on one hand and on the other wondering if we had not created a monster. Our pangs of conscience were increased when the letters poured in from long-time readers, objecting to the curtailment of features on dragsters, show cars, superchargers and R&C's companion magazines. Hot Rod, Car Craft, Custom Cars, Motor Life and Motor Trend – our loyal following anguished, but stuck by. Some of our old friends took our word that the proof of the kart is in the riding and now number among the strongest supporters. Other new friends have gratified us with letters of praise and encouragement. Wanting never to offend any readers we had but one clear course. We must have more space, yet without increase in cost. Much analyzing and planning was done with the result that this issue brings you sixteen more pages - a full 100 in all - that we may give full coverage to the phenomenal two year growth of karting, yet include a section to warm the heart of any rod & custom lover, the Street Roadster. The magnificent response by advertisers to this anniversary bonus issue, while necessitating postponement of several features on karts and roadsters till next month, indicates the strides of the industry to meet the demand and makes this issue a shopping guide to end all. lynn wineland

DRIVE A
WINNER*...



*At the recent National Championship Road Races held by the independent Go Kart Club of America, 3rd, 4th and 5th places in "A" class, 5th in "B" and 3rd in "C" were taken by Go Kart (Mfg. Co.) Racing Team karts — exactly as may be purchased by any individual, Higher places were garnered by expensive "Specials" or highly modified production models. The Go Kart factory entries were tops in total number of win points as well as having the highest average number of wins per kart entered over all factory teams entered.

Choose the winning combination to suit your personal needs and budget. Build it or buy it—there's a Go Kart tailored for you.

		CLASS "A"				
	LESS ENGINE	CLINTON A-400	WEST BEND 510	MeCULLOCH		
KIT	\$104.50	\$129.50	\$174.50	\$249.00		
WELDED KIT	\$123.00	\$148.00	\$193.00	\$267.50		
COMPLETELY ASSEMBLED	\$129.50	\$154.00	\$199.50	\$274.00		
ENGINE ONLY		\$ 39.50	\$ 87.50	\$149.50		

Circle the item you want. Send only \$25.—balance COD. For further information on the Go Kart 400 B or the Go Kart Cycles, send 25¢ for complete descriptive brochures, parts, prices and accessory lists.

name	 age
address	

Ge Kart MANUFACTURING COMPANY, 6300 IRWINDALE, AZUSA, CALIF.

ferent at a chines

since ivity lawn vided ll as heels t we

- go

kart-

pler

oned l hot

guns

rate

m to

lack

soon
the
had
ased
the
and
e in
ars,
but
f of
gest
s of
ders

hout

the

100 year any onse ting

and and tom

CUSTOM LENSES by LEE

You can change the whole appearance of your car with LEE CUSTOM TAILLIGHT LENSES , without alterations to the car body. lenses are as close to you as your mailbox.

1959 Ford Diamond. Red diamond on white, black, red or blue background. Light shines through diamond only.

\$18.50 pr. Specify background color



LOWER RIGHT 1959 Chevy Flat Tops. Molded so fit like regular lenses. Use same holes and bolts, no alterations. Made of finest smooth red plas-\$13.95 pr.



Space prevents showing full line here. We make Space prevents showing full line here. We make lenses for all popular cars... many styles for some makes. For pictures and prices, send \$1 (refunded on first order) giving make and year of car. One-third must accompany all C.O.D. orders. We pay postage if full price is sent with order. DEALER INQUIRIES INVITED.

three screws

\$12.95 pr.

LEE PLASTIC CO.

10832 Plymouth Road, Dept. RC Detroit 4, Michigan

OUR READERS

LIKE, WOW!

com

Els

tan

. 1

lous

8

re/

iss

YOU

cra

ow

Jin

you

out

tha

ma

has

hoo

thi

fin

COL

Fo

eme

tri

rec

is

Me

me

do

ate

NO

Enclosed please find fotos of my pride and joy, a 1938 Oldsmobile 4door. If the fotos are gone, it's probably because some space characters have stolen them to use for space ship plans. It is nosed and decked, and has been chopped 8". The rear windows have been blanked out, and a '59 DeSoto rear window is used in place of the stock one, Fins from a '58 Impala top scoops are used in the rear fenders. Quad headlights from a '58 Merc Turnpike Cruiser are used in canted position. The grille is made up of 65 chromed bullets set in 2 '49 Merc grille shells, one inverted. Front bumper is a sectioned '59 Buick rear unit. Stock taillights are frenched in, and Imperial taillights are set inside the rear windows. A sectioned '56 Caddy rear bumper is used. Upholstery is green and black pleats on the seats, door panels and headliner. Floor and pedals are green, too, Outside color is golden orange, with liberal usage of metallic blue scallops. The car is lowered 9" in front and 6" in the rear. Engine is stock. Osgood K. Crudpebble, III

Plainfield, N.J.

P.S. I hope youse guys know that this is all in fun. My real car is a 12" sectioned '54 Packard 4-door, with '56 Plymouth fins. EGADI The photos are...GONEI

GAL RODDERS

Here is a picture of our '39 Austin roadster that was salvaged for \$10 out of a junk yard.

This is the result of spending two years in restoring it. The interior has been restored, the frame extended, a "sixty" Ford engine mounted in along with the "60" transmission, mechanical brakes replaced by hydraulics and the paint job was done by us in a beige enamel.

What do you think of a job done by two rod and custom gal fans! Our neat little rod is named "Well Stacked". Come on you guys - let's see some

WRITE-or wrong

competition.

f my

le 4-

prob-

cters

ship

d has dows place 258 rear

d in le up

2 '49 Front TRAT d in. nside

'56

phol-

s on

iner.

Out-

beral

The

3" in

N.J.

that

is a

with

ustin

\$10

two

has ed, a

long

nani-

and

in a

e by

neat

ced".

some

MOT

Elsie Gracy & Doreen Stavenger P.S. Guess where we put the gas tank?

. In the taillights? (Those "sixties" get fabulous mileage.)



SHOEBOXES IN SOONER STATE

Spotted letters in R&C August issue re/"Ernest Levesque's letter in May issue".

Attn: The Wheelers - come here if you want a '50 Ford - Oklahoma's crawling with 'em - even my brother owns one!!! Jim Buswell Okla. City, Okla.

· Even "Putt Putt" Pelly has one,

ASK THE MAN WHO OWNS ONE

In your April issue of Rod & Custom you covered a supposedly 1982 Plymouth coupe. I have reason to believe that you are wrong. The car in your mag is a '31. The difference is the '31 has an oval back window, a shorter hood, a higher top, and various other things.

Enclosed is a picture of my partly finished car. It is a 1932 Plymouth coupe with a "53" Merc engine, "49" Ford transmission, overdrive and rearend. The engine is stock except for triple pots. The interior is done in red and white naugahyde. The dash is a combination of 42 Buick and 49 Merc instruments. The body has a metal top and filled hood vents. The doors and rumble seat lid are operated electrically. The exterior is fin-

continued on p. 14



COMPARE TREAD THICKNESS AND WIDTH

- . ALL KART SIZES
- . TWICE AS THICK
- . FULL 4" WIDE
- . 1/4 & 1/2 MIDGETS
- . LONGER LIFE
- BETTER CORNERING
- CUSTOM SLICKS ARE YOUR BEST BUY



SEND 10# FOR ILLUSTRATED BROCHURE AND ADDITIONAL INFORMATION TO:

TIRE SERVICE

944 West Foothill Blvd., Dept. R-11 Azusu, California . ED 4-2175

NOVEMBER, 1959

A/MIN/ CART

CHICAGO AREA (EXCLUSIVE)

EVANS SUPPLY

794 Central Avenue, Highland Park, Illinois . Phone HI 2-0124

MONTEREY & NORTHERA CALIF.

LANING'S TEXACO SERVICE

1042 Del Monte Avenue, Monterey, Calif. - Phone FR 5-1714

SAM FERNANDO VALLEY

E. D. MILLER

6733 White Oak St. at Van Owen, Reseda, California Phone DI 3-6479

BETROIT

WAYNE SPEED & SPORT SHOP

34752 Stacy, Wayne, Michigan - Phone PA 1-0493

Chain:	#35 (per foot) \$ 1.25
Chain Guard:	West Bend, Clinton, Power Products \$ 3.95
Gas Line Kit:	Dual Engine, all tanks\$.75
Gas Tank:	51/2 pint, 3 quart, 1 gallon \$11.95
Header:	Clinton A400, A490, E60, E65\$ 5.95
Header:	Power Products, 1147, AH47, AH81 \$ 5.95
Header:	West Bend, 510, 645, 700 \$ 5.95
Header:	West Bend Special (for chain clearance)\$ 6.95
Manifold Kit:	(Complete)\$18.70
Manifold Kit:	(Standard)\$ 8.95
Meter Mounts:	Clinton, Power Products, West Bend \$ 9.95
Piston:	Clinton, E60, E65, A400, A490 \$ 8.95
Pressure Pump:	
Pressure Pump Kit:	\$11.50



QUICK CHANGE

Now you can change ratios in just 90 seconds. Please specify 72 tooth or 82 tooth. Fits stock 60 tooth sprocket.



PISTONS

Now available for Clinton A-400, A-490, E-60 and E-65. Coming soon for Power Prod-ucts AH-81 and West Bend engines. Some pistons avail-able in oversize.



Power Products AH-81

Fasturing

★ NEW six-valve reed plate
★ Tuned exhaust header
★ Ram air velocity stack
(long or short)
★ NEW 4-position motor
mount (right or left)

There are still some area dealerships and distributorships open, Write for information.

PALMIN


NO

NATIONAL WINNERS USED PALMINI CART EQUIPMENT



GAS TANKS

Available in 1 gallon, 3½ quart bullet shape and 5½ pint gas tank. This can be hooked up for pressure.



Tuned Exhaust Headers Now available, Tuned exhaust headers for ALL engines. Power Products, West Bend and Clintons.



Competition Reed Plate

Fits Power Products AH-81 and Climton A-400, A-490, E-50 and E-65. These new competition reed plates utilize brilliam reeds that actuate at higher RPM's than spring steel in varying thicknesses to eliminate harmonics, (Notereds are available in different thicknesses for West Reed 200 ent thicks Bend 700.)

NEW JERSEY

CALIFORNIA SPEED & SPORT SHOP

298 Jersey Avenue, New Brunswick, New Jersey

WISCONSIN

FOX GO-BOY CARTS

Janesville, Wisconsin . Phone PL 4-3338

PENNSYLVANIA

HANK'S SPEED SHOP

708 Lancaster Avenue, Berwyn, Penn.

Send 50¢ for Big 14-page catalog and hop up data and equipment, HAVE A WINNING CART WITH PALMINI PRODUCTS.

Reed Plate: Clinton, A400, A490, for

	diaphragm carb \$ 7.95
Reed Plate:	Clinton, A400, A490, for fleat carb. \$ 7.95
Reed Plate:	Clinton, ESO, ESS and Power Products, AHS1\$ 7.95
Reed only:	(Fits all reed plates) Berillum or Copper .005", .008" \$.25
Rings:	(Set of three), Clinton, all models . \$ 2.75
Sprecket:	10, 11, 12, 13 teeth - %" here. \$ 3.00
Sprocket Kit:	(Quick Change) 72 teeth, 84 teeth . \$ 8.95
Stack:	(Ram Air Velecity) leng or short. \$ 3.95
Wheel Bearings:	(Precision Ball Bearing) %" I.D%" O.D. (each)\$ 1.70
Wheel Discs:	(Spun Aluminum Hub Caps) 4", 5", 6" (per set of 4)\$ 4.05

NGINEERING

3156 NORTH SAN GABRIEL BOULEVARD RC-11 SOUTH SAN GABRIEL CALIF.

STOM



Completely assembled, painted and Ready-to-run \$15950

for of the many State SC-40 Custom Twin to at models swellatte: Clinton E-60 Chain St organic.

-400 Standard w/Clin- SC-41 Contom w/Pow

Products AH-81 Chain Saw ongine. SC-81 Custom Twin m/2 Power Products AH-81 Chain Saw content

☐ I enclose 25c for color brochure of m Please rush my ☐ Black ☐ White ☐ Re Terms: 25% with order, balance C.O.D.—	ed Blue Gold painted Scat-Cat.
□ SC-400 Standard\$159.50 □ SC-60 Custom259.50 □ SC-81 Custom279.50 □ Equip my car with SLICKS on rear for NAME.	☐ SC-400 Custom (shown) \$199.50 ☐ SC-60 Custom Twin 349.50 ☐ SC-81 Custom Twin 369.50
ADDRESS	
CITY	STATE

EASY MOW MOWER CO., INC. • 3150 DODGE RD. • FAIRFAX • KANSAS CITY, KANS

LOOK FOR THIS SEAL FOR YOUR ASSURANCE OF QUALITY & SAFETY IN KARTS & PARTS

KART MANUFACTURERS

DART KART
RUPP Mfg. Co.
GO KART
GO KART
GO KART
FOR KARBIT
FORSWEIGH INC.
CARETTA
Ingels-Borelli
CAD CART
CAD CART
CAD CART
Reed Engineering

VOLKS CART
Echo Eng. Co.
BATES CART
Bates Motor-Sports
BUG Engineering
GOPHUR
GUILBROTH CART
EASY MOW Mower Co.
FOX GO-BOY CART
FOX BODY CART

Cad Cart Mrg.
COOL CART FOX BODY Co.
Reed Engineering FUTURA INC.
RACER KART
ASSOCIATE MEMBERS
Clinton Engines Corporation
Automatic Steel Products * Power Products




LET'S GO-KARTING

Introducing Clinton's Power Twins



Stock No. 21404—COUNTERCLOCKWISE

A-490	H.P.	R.P.M.
Air Cooled	1.2	1800
Herizontal Shaft	1.9	2800
20 lbs.	2.5	3800



Stock No. 21526-CLOCKWISE

A-490	H.P.	R.P.M.
Air Cooled	1.2	1800
Herizontal Shaft	1.9	2800
20 lbs.	2.5	3800

Now...Power One or Both Wheels



E-65-CCW* Air Cooled 4.5. 5000 181/4 lbs.

Designed especially for Hot Rods, Go-Carts, Buck-Boards, etc. One with clockwise rotation and one with counterclockwise rotation. A time-tested basic engine which has proved itself time and time again.



E65-CW* Air Cooled 181/2 lbs.

* CCW means counterclockwise and CW means clockwise - as viewed from PTO end.

Only Clinton's "Challenger" Matched Pair, Gives You All These Features

- 1. Needle and Ball Bearings on crankshaft,
- 2. Drop forged connecting rod.
- 3. Jeweled connecting rod (needle bearings).
- 4. All position Diaphragm Carburetor and fuel 5. Large 5" diameter recoil starter for quick starting
- Cast Iron liner in cylinder block for low cost repair or rework.
- 7. Weight only 181/2 lbs.
- Dust Proof High Voltage magneto for quick and dependable starting.

- 9. Polished reed valves.
- 10. Positive on-off switch.
- 11. 2 cycle air cooled.
- 12. Fully enclosed engine for maximum safety.
- 13. Versatile mounting base.
- 14. %" diameter crankshaft extension standard keyway with end drilled, tapped 5/16".

Accessories Available: 1 gt. fuel tank, clutch and sprocket, foot throttle control.

THE CLINTON ENGINES CORPORATION

ENGINE DIVISION MAQUORETA, IOWA

MOT

S for CA

Steering



SPROCKETS % x 35

\$6.95

60 Tooth 72 Tooth 12 Tooth 34" bore for 750 WB meter 2.50



12 Tooth, long hub, specify be for 510, 645 and 700..... .\$4,50 -----

OUR READERS WRITE

ished in Tango Red. My future plans

are to build nerf bars, custom exhaust,

Chelan, Wash

and several other things.

Leo Goedde

0 you

that

maj

dra

a di

wei

a bi

184 alm

Joh

both alve

1

my

3%

%

pot

du

to

res

wh

Bu

WO

ori

Sa

No

fit


tie

N

B

CONVERSION KIT

X-100-Conversion Kit for West Bend 750 Engine, Hardened Crank and \$19.50



WEST BEND ENGINES


#750, Remanufactured & perfect, Complete with perfect. Complete with gas tank, retractable starter and muffler, ready LIMITED OFFER ...\$24.95



Motor Mounts, for WB Engines

ALSO AVAILABLE 3-4-5-6 Horsepower CHAIN SAW ENGINES

CLASS "A" WINNER



REGULATION "K" CART FRAMES

Precision bent, drilled and notched, Dropped center side rails and front axle. Two hoops, rear axle, Regularly \$19.95. LIMITED SPECIAL OFFER\$9,75

instructions for ondering: Check items wanted, enclose 50% deposit, Balance will wanted, enclose 50% be COO, FOB Factory.

FLEXO PRODUCTS

EASTERN CUSTOM BOOSTER SPEAKS

I have never written to you before, but after reading your "Readers Write" column I felt I had to, I refer to a letter written in your May 1959 issue. It was written by one of my eastern neighbors who did a good, but unfair job of degrading our Eastern rods and customs, I think this Ernest Levesque was a bit nasty and harsh in condemning our cars, and also a little too generous in describing the Western cars,

True, the West does have more rods and customs, but I don't think the majority of them are any better than the cars from the East, I think that if some of the custom fans from the West came to this vicinity, they would be surprised at the quality and number of our cars; in fact at the present time, a custom as radical and pleasing as the famous Western Aztec is now nearing completion in one of the

local custom shops. I think my Benedict Arnold type friend in Connecticut should come out of the smoke filled pool-room some day, and take in a few good Rod and Custom shows, then give his opinion of the Eastern cars, instead of basing his convictions on his brother's and his friends' cars (which probably look like his interpretation of an Eastern car except that they are raked).

Bill Mac Kenzie Whippany, N.J.

LIGHTER YET?

On the cover of your August issue you have a picture of a dragster that weighs 1210 lbs, which you say may be the lightest Chrysler-engined dragster.

plans

Aust.

Vash.

3

fore.

ders

refer

1959

my

, but

tern

nest

arsh

8 08

the

rods

the

than

that

the

ould

um-

sent

eas-

c is the

ype

out ome and

nion áng

and

ook

ern

J.

MO

Here in Wichita, Kansas there is a dragster owned by Al Williams that weighs less than 1150 lbs. and runs a blown Chrysler. This car has turned 184 mph, The frame is entirely of aluminum construction.

John Tidwell, Jr. & Lloyd Davis

Wichita, Kansas

· R&C is tentatively planning an answer to both these lightweights, Our Chrysler-powered rail will have a body-frame of stressed, quilted aluminum foil, Take THAT!

READER'S '41

Enclosed are some photographs of my "41" Ford coupe. It is powered by a % race flathead engine, that is 3% x 4". It is also ported and relieved, % Isky cam, Offenhauser head and 2 pot manifold H & C. ignition featuring dual points and coils. It is hooked up to a stock trans, running into a 4.11 rear. The interior is done in blue and white naugahyde and the outside is '54 Buick blue with a metallic tint. All work was done by Larry Formolo who originally owned it, but due to Uncle Sam had to sell it,

Norm Fowler Princeton, N.J.



MODEL CAR CLUB

I am starting a nationwide club for model car builders. The club will benefit all members in that it will provide a means of trading ideas and suggestions on customizing model cars, All continued on p. 18 DON'T THROW LD MOT

Rebuild them good as new by these approved. professional methods

Here's the famous Chilton

manual that helps you put

new life in old motors-

or even rebuild them com-

pletely - almost no mat-

ter what may be wrong,



Chilton's complete guide to ENGINE REBUILDING & MAINTENANCE

and regardless of make or model! It's a master mechanics' guide that shows how to handle even the toughest engine jobs with less work, in less time, by approved "shop type" methods and using standard tools and equipment.

AUTO ENGINE REBUILDING & MAINTE-NANCE includes complete data on troubleshooting : disassembling engines ; reassembling, testing and breaking in; locating and repairing cracks; and all grinding, boring, sleeving, gauging, cleaning and replacement operations, etc. Covers valve mechanisms; cylinders and walls; bearing service; rods and assemblies; cooling and lube systems and all the rest. Every detail of this advanced engine training is explained so clearly that no more than average automotive service knowledge is needed to understand every step. 470 pages. 460 how-todo-it pictures. Price only \$7.95 - money-back guarantee.

PRACTICE 10 DAYS FREE! ___

Dept. RC-119, THE CHILTON CO. 5605 Chestnut St., Philadelphia 39, Pa.

Send 470-page AUTOMOBILE ENGINE RE-BUILDING & MAINTENANCE manual for 10-day examination. If I like the manual, I will then seed \$7.55 (plus postage) in full payment. If set, I will return beek promptly and own buthling.

(SAVE! Send \$7.95 with order and Chilton pays the 45¢ pestage and handling charge, Same 18-day return privilege with messay promptly refunded.)

Name .

City, Zone, State OUTSIDE U. S. A.—\$8.95 cash with order. 16-day money-back guarantee.

CHARLEY BAR AND GRELES

At The Price You've Weited For.
ping Futurier Stainless Grille Bars Completely Pre-Assert
Gueranteed Rust Proof – Full 3/4" dismeter sections.
able For 32 : 59 Ford — 55 - 59 Chevrolet — 58 T Bird. at Know Kind of Car and Year Model.



Complete Pra - Assembled Kit

HONEST NO. 87

ech 19.95

SHOOT THE BULL WITH THE

BEST OF THEM

HONEST BULLHORN

It Moans — It Groans — It Bellows Like A Bull, Loud and Strong.

HBH 6 - For All 6 Volt Cars

HBH 12 - For All 12 Voit

Cars Say Which each 13.50 WE PAY POSTAGE

HONESTWESTAYEDOUTOF THEGOCARTBUSINESSAS LONGASWECOULDSONE

WRSO - We may be last b We get the best.

HONEST Junior Racing Foot Pedal for all Go Carte.

HONEST LAKE PLUGS FOR ALL CARS AT A THINKING MAN'S PRICE



Complete 28" Kit for both sides 9.95

Complete 56" Kit for both sides 21.95

SPECIAL Shift Transmis



rieto bit and instructi or 40-38 Chaveolet, 49-3 and Shift, 49-54 Ford Marc Standard Skill,

ed., Las

We pay Pe



PRISTRIPING 12 Separate Designs Per Set Colors: Red-Gold-White-Black Each set of 12 Designs only \$1.90 postpoid HONEST No. 39

\$9.95

KOLOR KROME



poors Featured in your Featured in our leaves of Bad of Contain and Co-on Corn Magazina Transport Cal for Chrome-mirror Illul I

Grouph --g Colors in 16 ex. Sprey Can

HONEST'S No.

NX-1 Pagan Gold NX-2 Candy Apple Red NX-3 Oriental Blue

KX-4 Parision Green 16 as. Can \$1.98 For Chrome - Stainle

Steel - Polished We pay Postage

NEW CATALOG



SEND 25c FOR NEW 1959 MONEY SAVER CATALOG BIGGER-BETTER THAN EVER - MORE PAGES -EACH CATALOG CONTAINS \$1.00 FREE CERTIFICATE. GET NEXT ISSUE PREE.

SB-59 CHEVROLET REAR



A Kin Con Kit Complete . . \$4.95 We Pay Postage

CHAPTERING (HONEST)



ST No. 74 Each \$1.45

We Pay Poologe

AN HONEST APPROVED CAR CLEANER CAR SKIN





No. 162 Car Ski No. 164 Cor Shin WE PAY POSTAGE

We Pay Postage

\$5.50 Each

HONEST ONE QUART SPUN ALUMINUM FUEL TANK

For all Go Carts. A Thing of Beauty - Complete with Mounting Brackets



We Pay Feelage

2654D	2370 0	IEP-USI	ON	. U. D	HEPHIN .
FULL	AMOUR	NO TH	ITEMS	MARKED	PREPAID
	O CODs	FOR LE	S THAN	\$5.00	
Alu ca	r le a				Year

			19-09
Quantity	Part No.	Description	Price

Chausin	Lau Lan	Description	71000	
			+	
			-	

ONEST CHARLEY SPEED SHOP INC





KART



- **UPHOLSTERED**
- **ASSEMBLED**
- PAINTED
- READY TO

DELUXE MODEL AT AN HONEST PRICE

We Searched the Field and Came Up With Another Honest Bargain. This Met Our Specifications For A Safe, Durable, Easy To Handle Kart.

Check These Features and Price Against Any Other Made Regardless of Price:

COMPLETELY ASSEMBLED

GREEN ENAMEL FINISH

FLOOR MAT

16 m.

e Red

en en .98 inless

G

HAN ES -

ISTOM

CUSTOM FITTED BEACK HAUGAHYDE UPHOLSTERY

SCIENTIFIC PROVEN STEERING YOKE WITH RUBBER HANDLE GRIPS

SAFE POSITIVE STEERING

ALL NEW CLINTON A-400 2% H. P. 2 CYCLE, 578 Co. In. WITH RECOIL STARTER

FOOT OPERATED SPOT BRAKES SAME TYPE AS USED ON INDIANAPOLIS 500 MILE CARS

DEMOUNTABLE WHEELS

HIGH SPEED BALL BEARING WHEELS

REMOVABLE SPINDLES

LOWERED FRAME

AIRCRAFT CONSTRUCTION CHROME-MOLOY FRAME MEMBERS

AFULL PNEUMATIC 300 & 5 TIRES INTER-CHANGEABLE WITH REAR

BRAKE AND THROTTLE LINKAGE FOOT

AUTOMATIC CLUTCH optional at small additional cost

WITH ALL FEATURES LISTED - WITH DIRECT CHAIN DRIVE

F.O.B. DUARTE, CALIF.

Add \$15.00 if automatic clutch is desired SEND 25% DEPOSIT ON C.O.D.'s

	_			3
東京	S #	-	HARLE	y
1	Talla	5-10	OF A	
81	an E	REE	ATALOG	
6	7	47		

SEND 25¢ FOR NEW Must Know Wheel Size We Pay Postage CATALOG BIGGER-BETTER THAN EVER-MORE PAGES - EACH CATALOG CONTAINS \$1.00 FREE CERTHFICATE. GET NEXT ISSUE FREE.

HONEST KART SPUN ALUMINUM Racing Wheel Disc FOR ALL TYPES KARTS

4", 5" or 6" Heavy gauge



SEND 25% DEPOSIT ON C.O.D.
SEND FULL AMOUNT ON ITEMS MARKED PREPAID
NO C.O.D.'s FOR LESS THAN \$5.00

My car is aYear......Year.....

Address

CityState

Quantity Part No. Description

CHEST CHARLEY SPEED SHOP INC.

Box RC 1904 Chattenongs, Ten





NOT A KIE.

Individual front suspension, automotive type steering, autometive enamel. Choice of belt or chain drive and of two engines.



drop-frame front end. Deluxe dish-type steering wheel, custom guilted upholstery, heavyduty steering column.

TIMKEN SPECIAL

Timken tapered roller bearings. Equipped with nerfing bars, side rails,

umpers. All other Putt-Nik features, Nerfing bar kits available for all models.

PROTECTED DEALER FRANCHISES AVAILABLE

Write today for brochure and details.
World Wide Distribution:

PUTT-NIK SALES, INC.

OUR READERS WRITE

continued from p. 15

persons interested in joining send a stamped self-addressed envelope to: Jerry C. Kropp 69 Pleasant St. Danbury, Conn.

WANTS A KART MAGAZINE

I am a new reader avidly interested in the so-called karting craze. Having just finished your August issue, I would like to put in my two cents about this karting controversy.

I own a 1953 Mercury and have no interest in souping, customizing or otherwise altering my car. To build a car that would compete with other hot rods would take more than my modest salary could bear. I believe that the majority of karters follow this line of logic. Karts for us are the only answer. I myself do not begrudge these hot rodders their fun, if they have the money!

How's about a separate mag for us? Here's to "Go Karts Galore" **Bradley Ryan** Oneida, N.Y.

· No separate book as yet, Brad, but we hope you'll enjoy R&C's new size - our compromise to have coverage for every taste.

CYCLE HOUND

Where can I get plans for the Min-A-Bikes found in Aug., '59 issue. Dig your mag the most. Keep up the good work. Hary Overton

Pelly tells us the response on the "Tyke Bikes" is even better than for his "Tot Rod" (kart) plans. He's drawn up one that's prac-

tical, with a popular make kart engine, and sells 'em for two bucks. We'll forward it if you like,

PIGGYBANK KARTER

I enjoyed your article "From Parts To Karts" very much. I have tried to build a kart several times but each time expense has stopped me. I wonder if you could give me information on how to keep the price down, Allen F. Laudensiger, Jr.

West Chester, Pa.

· Beat it to death!

Elmira, N.Y.

ALL KARTS NEED



STEENC

THE CHEMICAL LUBRICANT

- Mixes 100% with gasoline or alcohols.
- · Will not settle out after mixing.
- Volatile action at elevated temperatures allows full power from gas.
- · Burns clean, will not form carbon in ports,
- Reduces spark plug failure.
- · Prolongs bearing life.
- Blend to engine manufacturer's fuel and oil mixture specifications.

for literature and dealer information, write today to your nearest distributor

COMPETITION CHEMICALS

WEBCO INC. 218 main st. venice, calif.

PRECISION MOTORS 2105 no. chester ave. bakersfield, calif.

CALIFORNIA SPEED & SPORT 298 jersey avenue new brunswick, n. j. 00 KART MFG. 6300 n. irwindale azusa, calif

1207 var new ave, san francisco, calif.

8702 de toma street dallas 18 texas CHEMICAL LUBRICANT GASOLINE ALLEY

2417 24th st. west washington 9, d.c.

VERN GARDNER 4418 e. 14th st. oakland 1, calif. EVANS SUPPLY 794 central ave. highland pack, illing

LANING'S TEXACO SERV. 1042 del monte ave. monterey, calif.

SEN HUNT & SON 14 s. polouse st. walla walla, wash.

305 bowman st. mansfield, ohio

MIDWEST MODEL SUPPLY CO 7541 so. halsted st. chicago 20, illinois

STEEN LUBRICANTS

19 east valley boulevard • alhambra, california

NOVEMBER, 1959

19

p. 15 nd a to: nt St. Conn.

ested wing ie, I cents

re no

build other other olieve ollow

udge they

N.Y.

Min-Dig good

"Tyke Rod" prace, and i it if

Parts ed to each onder on on

r, Pa.

If you can drive you can win in a



Send for free literature

SIMPLEX MANUFACTURING CORP. Dept. RC, 540 North Carrollton, New Orleans 19, La.

20

ROD & CUSTOM

SIMPLEX Challenger RACER

HERE'S WHY . . .

These superb racing Karts were designed by Bill Muller former Indianapolis race driver and racing engineer to provide (AS STANDARD EQUIP-MENT) everything you need to win in top competition. These Challenger Racers offer 25 advantages, the combination of which is not found on any other Racing Kart in the world. Two of these advantages, brakes and steering mechanism are exclusive with the Challengers and are considered by leading racing engineers to be the ultimate in Kart braking and control. Challenger Racers come equipped with a choice of Clinton or Lauson engines but are available with other leading make engines or without engines if vou choose.

HERE'S WHY ...

The Challenger brakes are two shoe automotive internal expanding brakes. Their braking efficiency at racing speeds is proving to be one of the big plus factors in winning races. They permit the driver when approaching a curve to maintain top speed longer,

than Karts with other type systems which must start to brake much sooner.



HERE'S WHY ...

The absolute perfection of the Challenger Racers *Steering mechanism can not be improved. It represents the 'ultimate in Racing Kart steering and provides

a precise turning radii which completely eliminates tire scrubbing and frictional speed losses on curves.

*Patent applied for.

SIMPLEX Challenger	1	MARK
Standard retail price	\$189	\$269
INCLUDES		-
Completely assembled ready to race Crated Freight paid Chassis completely welded Painted-baked enamel. Blk. or Red	Yes Yes Yes	Yes Yes Yes Yes Yes
TYPE BRAKES		
Finest automotive two shoe internal expanding brakes Internal band brake External spot brake Scrub on tire brakes	NO NO	Yes NO NO NO
STEERING		
Diameter-kingpin Aircraft type fittings Shakeproof fasteners Precise turning radii Wheel size Tapered roller bearings Fully pneumatic tires Hub caps (keep out dirt) Foot brake pedal Foot accelerator pedal Replaceable axles	Yes Yes Yes 5" Yes Yes Yes Yes	Yes Yes Yes Yes Yes Yes Yes Yes Yes
ENGINE: choice of		
Lauson 4 cycle 2½ hp. Clinton 2 cycle 2½ hp. Dry air filter Rewind starter All chain drive Front bumper Automatic clutch (s) Seat side rails Full length floor pan Seat and back cushions	Yes Yes Yes Yes Yes Yes Yes	Yes Yes Yes Yes Yes Yes Yes Yes
are the only extra on these cars. Cos	t 9.85	i



DEALER INQUIRIES INVITED

STOM

If you can drive you can win in a



Simplex Karts meet every requirement



Send for free literature

SIMPLEX MANUFACTURING CORP.

Dept. RC, 540 North Carrollton, New Orleans 19, La.

SIMPLEX Challenger RACER

HERE'S WHY ...

These superb racing Karts were designed by Bill Muller former Indianapolis race driver and racing engineer to provide (AS STANDARD EQUIP-MENT) everything you need to win in top competition. These Challenger Racers offer 25 advantages, the combination of which is not found on any other Racing Kart in the world. Two of these advantages, brakes and steering mechanism are exclusive with the Challengers and are considered by leading racing engineers to be the ultimate in Kart braking and control. Challenger Racers come equipped with a choice of Clinton or Lauson engines but are available with other leading make engines or without engines if you choose.

HERE'S WHY ...

The Challenger brakes are two shoe automotive internal expanding brakes. Their braking efficiency at racing speeds is proving to be one of the big plus factors in winning races. They permit the driver when approaching a curve to maintain top speed longer,

than Karts with other type systems which must start to brake much sooner.




SIMPLEX Challenger MARK MARK . 11 Standard retail price \$129 \$269 INCLUDES Completely assembled ready to race .. Yes Yes CratedYes Yes Freight paid Yes Chassis completely weldedYes Yes Painted-baked enamel. Blk. or Red . . Yes Yes TYPE BRAKES Finest automotive two shoe internal expanding brakes Yes Internal band brake NO External spot brake NO Scrub on tire brakes NO Yes NO NO NO STEERING 1/2" Aircraft type fittings Yes Shakeproof fasteners Yes Yes Yes Precise turning radiiYes Yes Wheel size 5" 5" Tapered roller bearingsYes Yes Fully pneumatic tiresYes Yes Hub caps (keep out dirt)Yes Foot brake pedalYes Yes Yes Foot accelerator pedalYes Replaceable axlesYes Yes Yes ENGINE: choice of Lauson 4 cycle 21/2 hp. Yes Yes Clinton 2 cycle 21/2 hp.Yes Yes Dry air filterYes Rewind starterYes Yes Yes All chain driveYes Yes Front bumperYes Ves Automatic clutch (s)Yes Yes. Seat side railsYes Yes Full length floor panYes Yes Seat and back cushions are the only extra on these cars. Cost 9.85

HERE'S WHY ...

The absolute perfection of the Chal-lenger Racers *Steering mechanism can not be improved. It represents the 'ultimate in Racing Kart steering and provides

a precise turning radii which completely eliminates tire scrubbing and frictional speed losses on curves.

*Patent applied for.



DEALER INQUIRIES INVITED

MOT

Midget Racing WHEELS



4" - 5" and 6" Standard and Super Widths. All hub lengths, all bearings from ½" to 1" Bore. Also, OFFSET HUBS for Sprockets or Fullers.

All Wheels are STEEL, BOLTED construction and codmissm plated.

HIGH SPEED TIMKEN TAPERED ROLLER BEARINGS

¾" and 1" Bore. In 10", 12" and 14" O.D. Also complete line of industrial wheels.

SOME TERRITORIES OPEN FOR DEALERSHIPS

America Sept a

NALPAK CORPORATION

Los Angeles Ca + + Phone Lo 3 1056

KARTING JACKET

NEW STYLE

White, Black, Grey Completely Lined Size: 34 thru 44

ZIPPER SLEEVES

\$16.95



CASTORENE

Competition 2 cycle oil Burns Clean. No Carbon.

½ pt. \$.45 1 qt. \$1.25


NOW NGK PLUG



Dealers Inquiries Invited

EBCO 218 MAIN STREET VENICE, CALIF.

auto




The new competition Bates-Kart model C-1 has incorporated the latest in kart racing innovations. This C-1 model includes many advanced features; maintaining the famous Bates steering axle, the C-1 displays an improved "sure stop" brake unit, plush upholstery for positive driver position and comfort, locked rear axle affording top corner maneuverability and the latest in competition frame construction. For information write: Bates-Kart C-1 Dept F, P.O. Box 72116, Las Angeles 2, California.



Midget racing wheels. Nalpak Corporation features a complete line of small racing wheels. All wheels are steel, bolted construction and cadmium plated. 4", 5" and 6" standard and super widths. All hub lengths, all bearings from ½" to 1" Bore. Also, affset hubs for sprockets or pulleys. High speed Timken tapered roller bearings ¾" and 1" bore, in 10", 12" and 14" O.D. wheels. For information write: Nalpak Corporation Dept. RC-11 1130 E. Florence Ave. Los Angeles, California

mart



Multi Midget trailer, designed to fit the needs of the 1/4, 1/2 and cart fans. Constructed of all-welded steel with a solid steel axie. The Trailer features: dual spring suspension, Tongue stand and safety chain, stop and tall-light combination, Timken high speed bearings, and fold down ramp, From: Multi Industries & Mfg. RC-8, 6611 Jurupa Ave., Riverside, Calif.

nced

ering

dop'

river

ford-

est in

ation

116.

and

from

ckets

roller

d 14"

alpak

MOTE



Kart engines and accessories, featuring both the McCulloch and West Bend engines, Flexo Products is rapidly becoming headquarters for anyone wanting to build a better kart. Flexo maintains a large stock of varied HP engines, sprockets, racing wheels, clutches, frame members, brakes and most everything needed for converting or building α better kart. For free literature send α self addressed stamped envelope to Hexe Preduct 5180 Venice Bivd. Los Angeles 19, California.

NOVEMBER, 1959

Caper Cart



Now-We Have Done It Again

PRESENTING

Caper Cycle

A PACKAGE OF DYNAMITE READY TO RIDE



45" long, 24" high dual frame expanding brakes 7 cubic in, engine complete,

\$15995

send now for illustrated brochure and price list. Enclose 25¢ for handling.

BEN HUNT & SONS

14 S. Palouse St. Walia Walla, Wash.

IC WHITNEY CO New Items! Low Prices! Save More Than

NEW REPLACEMENT FULL WHEEL COVERS For 55, 56 & 58 CHEV., 55-56 FORD & 1956 OLD



519.95 514.05 \$26.85 7.73

\$15.95 1956 OLDS STARFIRE Type WHEEL

DISCS meter duty glaseming Chrone. 30 fairing freques hold due on present without the second \$7.75



\$3.39



CAP SPINNER



\$5.00

WHITNEYSCO 1917 Archer Ave



STAINLESS STEEL Forder Well

\$21.95

KNOB



\$3.75

11-211

SPORTS CAR KEY



TRUNK TOOL HOLDER



\$1.49 CAR

PLAQUE

\$2.96 FENDER-SKIRTS



to to to to 4941 39.81 E 10

Mi Mi

A

O SOLID ROUND 1%"

\$2.50

BULL NOSE ORNAMENT

\$1.95

Sleek - Wide - Massive - Impressive STAINLESS Tubular Type Custom Grilles

\$19.95

HOLLYWOOD NOISE MAKER MUFFLER

for oil main

Ever Before on Auto Parts, Accessories JCWHITNEYECO NE & TRANSMISSION ADAPTERS Button Print ADJUSTABLE LOWERING KITS for 58-59 BUICK, CHEV., CADILLAC, PONTIAC Fer FORB 33 Mo. 463 -To 69 32-39 Chev. 352 Eng.) Oil Drain Reactor Play \$5.95 um SNAP-ON Spun Alur RACING WHEEL Starter Motor Ch DISCS Kit for Olds V8 BUTTON DOOR KIT HOTS - the IMAP - On the IMAP - On the Image of the Image 245 LIGHT \$9.95 \$2.75 For 1959 \$12.25 \$12.25 \$25.95 Floctric TRUNK KIT The factor from the control of t \$2.00 AUTO FABRIC SPRAY PROPERTY OF AND 12 WILL

USE THIS HANDY ORDER FORM -JC WHITNEY CO

1917 (U-211) Archer Ave., Chicago 18, III.

MAIL TODAY

Consisting want from with your color. Check have it you want coloring and the 25th NOTE! Please he sure to give all infaton such as color, size, body style, make, year & model.

\$2,95 PRIDE NEW 388-PAGE CATALOG



n

E

i tenti

111

-H

-22

A

76" ... -

2.50

NT

Pers.

2

-.95

ve

2

mi 95

ER

98 TOM

STREET

ROADSTERS

PAST





PRESENT

FUTURE



The car most typical of the hot rodding sport is the street roadster. A heritage over the last quarter century has influenced today's street rod, and will continue to dictate the styling of those to come. The three photos above, while taken over 10 years ago, picture the genealogy of cars today. At top is a '29 Ford with little more than the fenders removed, top cut and a '32 shell added. Next, the same model on a '32 frame with flathead V8 mill and all the details. Finally, the '29 again, channeled, and an aluminum nose.

'29 on '32 ralls


STREET ROADSTERS past, present, future



last reet g of hile logy ittle ad a '32 ails.

port

um-



STREET
ROADSTERS
past, present, future




'32, Foreitron deu Bett seve eng lot well was stee style bom the

massachusetts deuce



hotos by ilm chasse

Salvaged from a cellar where it had stood in a foot of water for several years, Eldon Sidebotham's '32 was rebuilt for a year's time with an investment of \$2500. The modified '48 Merc engine has tugged the black deuce along at 107 mph in the quarter. 286" is the new displacement $(3^5/16'' \times 4'')$ and Edelbrock 10:1 heads and 3-pot manifold are supplemented by a H&C ¾ cam. The Reading, Mass. goer uses a H&C dual coil ignition and delivers power off the Schiefer flywheel by an Auburn clutch through a '39 Ford trans to the 3.27:1 Getz gears. Mobil 7.60 tires on 15" widebase Lincoln wheels put the power on the ground, while up front, 6.40's set on 15" Merc rims. A 3" drop axie lowers the nose still further and a 7" frame "Z" drops the rear for a moderate rake. Front and rear ends are chromed for utmost in appearance.




All Ford is the claim made by Max Allen's '32, a familiar sight in Wenotchee, Wash. Formerly a Stock Car racer, Max, with help from his wife, gave it up and built the peri deuce for fun driving and an occasional show. Better satisfied, Max has taken top place in several car shows in his area. A '57 Ford engine with very little rework provides a lot of punch in the lightweight roadster as well as being thoroughly dependable. As with many a roadster, the problem of fenders was solved with the popular cycle-type that steer with the front wheels, A 5" chop lends style to the laviship chromed, Bahama Blue bomb, and Alaskan White Naugahyde sets off the clean interior. \$2500 was expended in the process of building which consumed a year and eight months time. "Stu Johnson and Gary Knowls really deserve credit", soys Max.







washington '32



STOM





Combining the new with the old has been a formula for success in many fields far from rodding, but here, too, it paid off. Gary Scherer, of Downey, has a 103 mph street job using good looking, but rare '31 Chevy body fitted with 283" Corvette mill. Gear box to handle load is '48 Packard pumping into '53 Chevy rear end. Lowering is with 4" dage, 4" chop and use of 15" wheels mounting 5.90's and 8.00's. '39 hydraulic brakes are up front, '53's on the rear. White Naugahyde interior and top by Don's Trim Shop in nearby Norwolk contrasts with '35 Codillac Cobalt Blue paint.







daga, 5.90's front, interior lorwalk paint.

A \$9.00 junker was the basis for Jack Quinn's '31 Chevy, which is restored to the best possible condition, plus having a few added attractions to put in some punch. A '51 engine with milled head and homemade dual manifolds was installed with power routed through a '48 column shift transmission and rear end. The Nerf bars were made of 1" steam pipe, hand filed and chromed, as were all original parts. New hardwood went into body now pointed Sahara Gold Metallic. Bill Ball of Toronto did white Naugahyde interior and top. Mild 2" chassis drop is accompanied by use of 6.70x15 tires for lower silhouetts. Shocks were replaced with tubular Gobriels. Grafted on taillights are from '53 Chevrolet.









Certainly one of the most popular engines of our time is the lightweight '55 Chevy V-8, so what could be more natural than to couple it with the clasic '32 Ford road-ster to make the last word in street rods. This was the reasoning leading to Ralph Guldahl's deuce. Several owners contributed to the building of the car and Art Chrisman built the dash, utilizing Stewart-Warner dials, and the rakish rear fenders. Entire front suspension has been chrome plated. Black beauty's home is Studio City, California.





ngines Chevy I than roadrods. Ralph ributed risman Warner Entire plated, fornia.


palacy



STREET
ROADSTERS
past, present, future

Ç

"THE" roadster




HOVE


REMODELING "THE" ROADSTER

by Joe Henning

ginning in May of 1955, R&C began a series led "BUILDING THE ROADSTER — for a doipound". O. C. Ritch and Joe Henning d up on the writing and drawing to put what may well be the most interesting ies ever found in R&C. As the years slip by, IE Roadster, as it originally appeared (above, ii) and for all its forward thinking, wasted ard absolecsence. Now, Joe Henning brings up to the contemporary standards of '60.


Several power choices are available. The Corvette engine, fuel injected, with four-speed gearbox is first choice. Another would on a lower horsepower plane, yet give enty of snap in the light chassis, This was be the Ford Falcon engine and transmission combination. The frame is of space tube construction for light weight and rigidity. Suspension is conventional solid axles to hold the price down, yet do a presentable lab







REMODELING "THE" ROADSTER

continued






R i T-type roadster bucket will, as bein, be fabricated from fiberglass. Not
much attention to tradition is renred as homage to the past tends to
asses functional aspects of car, The
milliar brass radiator set into the
word opening of the air duct on the
version has given way to simple,
and grillework whose theme is retied in the recessed end of the turtlet. Tallilights are '58 Ford lenses.



hed fenders are effective, yet more in than first version. Windshield a around cowl to door line and a with fixed windows that in turn into high bucket back. Hood is one piece and on removal gives to engine, steering, exhoust, iter, headlights and backside of panel for ease of instrument y, plumbing. The top is for emerdes only and folds into the tiny it next to the gaseline tank.



VEMBER, 1959

& CUSTO

the family fun machine
puts on its racing gear
as r&c
takes a long look at...

Set a Fill State of the France of the France

Karting got a boost when United Press showed Air Force General Curtis Le May tooling kart during races at Andrews AFB near Washington. Enthusiast Le May is hot rodder and advocates sport to keep airmen on loes and teach them to use and develop mechanical ingenuity.

The GKCA Nationals

PREPARATION

e day event began July 10th and much last ute preparation led to showdown races run final day. Major teardowns occurred in pits. Go Kart Raceway in Azusu, Calif. was donated for Go Kart Club of America 1st National Championship Road Races by major kart manufacturers who have track for testing uses.

photos by uhler, beindorff, lynn



ERage



Bug Engineering opened shop to help out other factory teams. Racing model Bugs, above, stand ready while shop crew helps out Cad Cart and Go Boy team members. Fred and Bob Fax, right tune Go Boy brought on train from Wisconsin. Go Kart Mfg. let burned out Caper Carters use their plant.

> Even competition karting be a family sport as Dad tunes, Mom holds and son watches proceedings to me sure nothing goes wrong.

Wife, Barbare, adjusts lie Hunt's armband number of first heat draws near. Cap-Cart bunch are from Wall Walla, Wash. (Not Okla.)

RACING

Hot Red Magazine Research Editor Bob "Stirling Mouse" Pendergast, waits impatiently for completion of final tune on Potvin "Dragonfly" KB.



ROD & CUSTO NOVE



RACING

Drifting close to photographer's side of haybales on tern 11 (see track layout p. 39), Al McDonald leads Bill Landefeld in "C" heat. Both drivers are cycle engine fans.

Hovey Hawk team from Northern Calif, showed up powered by Mercury two-man chainsaw engines. This crew really got the feel of the track, shown left on banked turn 7.

Caretta crewman Joe Nitti crosses up coming from right of photo into turn 6. This fooler had many of the newcomers buffaloed and is a constant challenge to the regulars.



as Dod and son

djusts B

of OklaJ

The GKCA **Nationals**

continued

RACING

Wham! A rough side trip into the dirt alongside turn 1 was experienced by this driver who drifted too wide, but safely regained the track. Perfect safety record is credit to GKCA.

Somebody Goofed and virtually entire Go Kart Racing Team spun out in turn 2 on first lap. Action was hot all the way, but surprisingly few driving errors occurred and very little equipment failure was experienced.







Spectacular driving style of Jim "The Beard"
Goodman made him a real favorite with the
crowd as well as other drivers. Leading (above),
Jim thrusts beard forward, apparently to cut
path into air for streamlining through turn 11.



CUSTOM



Chuck Balsiger on twin McCulloch "Hot Rod Magazine Special" is chased into turn 7 by similarly powered Dick Geer, destined a cop the championship by winning every yvent. "Hot Rod" kart had chain problems.

The GKCA Nationals

continued



Automotive magazine personnel goi into kurting early, having been among first to know of it. Always found at big meets these men find the sport a pleasant way to combine work and play. At far left on facing page is Motor Life's Bob Young on a Bug. Date Neef of Hot Rad pilots a Cad Cart at the right, above R&C's own Larry Hester on a Golden Rocket kart by Standun Industries.




(Below) Holly contested C Class event saw eventual winner Al McDonold's Villiers bomb leading Go Karters Duffy and Don Boberick, GKCA President through esses of turns 9 and 10, Cycle engined cars proved capable.





Nationals



ROD & CUSTOM





This competition karting is a real, he-man sport... that gals often have an advantage inl Diminutive Faye Pierson (Mrs. Buy Engineering), has a good lead over many an opponent by virtue of her weight, not to mention her driving ability. She currently holds the "A" Class record on the Go Karl Raceway and wan the coveted pole position for the Nationals, as shown in the start scene on our cover.

Scene (1), lap 1, shows Faye in 3rd spot hind Conners and Yamane. Act (2) lap 2 the positions reversed. Watch the style turn 11 (3), as she cuts inside Jim Yam to win the first heat (4). The "breaks" or up on turn 6 in the second heat as a threaticks and a chain snaps (5). Coming fithe back for 2nd in heat 3, Faye to smile at R&C camera, Yamane 1st, Murray:





rts hold an eternal fascination for small ys — and big ones, too, A two-man chainsaw werod Caretta holds this small viewer's gaze.

ctory team entries displayed neat and colorgerb. Texas group chartered planes to fly its and crews to Nationals, had kart name in b on back of caveralls. Caretta team of els (Art Ingels, "Father of Karting") and relli matched kart paint jobs in black, yellow.








Only entrant to run in two classes, Duffy Livingstone beats heat under a gaysering water hose following two coasecutive races.

The GKCA Nationals

. continued



"Gee, Dadi" Champion Dick Geer's family stand by following third heat waiting for announcement that Dad has won Sweepstakes.

Texans' ladies watch race progress under tarp at trackside. Picnic jugs abounded and Snack Stand did flourishing business in unexpected hot spell, using over ½ ton of ice in drinks. Light clothing helped and T-shirts abounded.





Dick Vandeveer, first president og GKCA and clown prince of karting anused spectators, photographers and entrants with exhibition of two-wheeled gymnastics during intermission.

Sportsmanlike gesture by Go Kart's Duffy Livingstone took place following chain break on Faye Pierson's rival team Bug. Duff helped husband Tom Pierson get gal back into race







The GKCA Nationals

beunitnes

Circled (below, left) Champions are Al McDonald, C Class, Dick Geer, B Class winner; and Jimmy Yamane who ran off with A Class honors. Other fine drivers who fell only shortly behind took other honors, listed below.

A Class

(Trophies awarded by Steen Lubricants)

l at	Jimmy Yamane	1100 pts.
2nd	Faye Pierson	626
3rd	Spencer Murray	564
4th	Richard Connors	547
5th	Bill Jeffery	411

B Class

(Tros	phies awarded	bv	West Bend)	
	Dick Geer	-,	1200 pts.	
2nd	Gilbert Evans		694	
3rd	Dick Hill		577	
4th	Chuck Balsiger		478	
5th	Duffy Livingston	•	428	

C Class

		-
(Tro	phies awarded by	Simplex Mfg.)
lat	Al McDonald	1000 pts.
2nd	Bill Landefeld	927
3rd	Duffy Livingstone	480
4th	Lee Miller	465
5th	Ben Hunt	333

NO



Jim Yamane grins and blushes as Trophy Queen clad in golden metal sult hands over the hardware. Steady driver tapped A Class. Faye Pierson get 2nd Piace in Class A and presentation was made by Duffy Livingstone, pinch-hitting as Trophy "King". The lady is a Champi Perpetual csp for Sweepstokes Champion and smaller replica to keep were taken by Dick Geer with perfect 3-win score. A real winner!



MO



KARTS IN COMPETITION

Twin-milled Bug herded by Dick Keen will be contender at World's Championship of Karts held during Bahamas Speed Week at Nassau this December. Sponsored by the Grand Prix Kart Club of America, the event will gather together greats from every phase of auto racing – including karting – to vie for world's kart title.

continued growth of the sport inspires a...

NEW NATIONAL KART CLUB

Formation was recently announced of the Grand Prix Kart Club of America, a new nationwide organization for the betterment of the karting sport. President of the group is Capt. Sherman F. Crise, internationally famous racing figure who is prominent in the famous Bahamas Speed Week sports car races held each year in Nassau, Other notables on the Board of Directors are Jim Rathmann of Miami, Florida whose performances from hot rods to Indianapolis have made him an outstanding personage in racing circles and Tom Pierson of Southern California, manufacturer of the Bug, one of the top production and racing karts in the field. Others include George Marshman of Pennsylvania, Marvin Goldberg of Maryland and Robert Plarr.

The new group has several tracks across the country under its wing and provides a splendid insurance program. Naturally, rules for safety are well enforced and the new group has paid close attention to points decided upon by other kart groups, Championship events staged by or under the


sanction of the GPKCA will pay a purse to the winners, thus defraying expenses in traveling to compete. Even so, costs to members are kept to minimum, the overhead being borne by spectators at the events.

Planned activities in the near future include a National Championship at the Dorney Park track in Allentown, Pa. on September 6th. Of 300 lap (on a %rd mile track) duration, the winner will receive in addition to the prize money, a fully paid trip for himself, his kart, and his wife or mechanic, to Nassau. There, they will be the guests of the Bahamas Automobile Club for one whole week and on December 5th will compete in the International Grand Prix de Karts, run on the famous Oakes Course. Many internationally known drivers are taking up karting and plan to compete in the kart races. Such well known men as Stirling Moss, and Pedro and Ricardo Rodriguez are said to be readying themselves for the big action, First Place in this race will find the winner \$1000 the richer, and wearer of the crown of the World's Kart Champion.

KARTS IN COMPETITION

jefferson county park go kart raceway

formed by the St. Louis Go Kart Club began running on their new \$25,000 track near House Springs, Mo., July 4th. The 340'x 350' land holds the most complete track layout seen to date. Of 4/10 lie total length, three banked turns are incorporated, as well as a QM oval. Fits, eachers and timing are provided and this tract will be the scene of some hot racing action.



CUSTOM DVEMBER, 1959

53

nship at lentown, lap (on the winto the for himor mey will be tomobile d on Dehe Inter-, run on ny intere taking te in the men as Ricardo readying

on, First e winner or of the hampion, i on p. 46

ionship of sed Week nsored by nerica, the eats from including kart title.

l pay a efraying

te. Even to mini-



miniature monza alton, illinois


Lying just east of St. Louis, the ½ mile cour at Alton is a 12 turn, 20 ft, wide track wone 40° banked bend from which it gets Monza title. The first all-kart road cour in the midwest, the property is next to I Alton Drogway. Track Manager is Bill Hard Jr., owners are John Storry and Mel Kingste The Central Illinois Region of the GKC operates and supervises the events. As me as 60 karts are regular participants. An intesting start procedure is used. Le Mans styrunning start, Not for drivers—for pushe







Start is seen above, with kart pushers running le Mans style as gun goes off to karts where drivers wait impatiently for shove to get under way. At left, tight action on banked, Monza turn. Aerial shot, below, and drawing show track layout. At the bottom, racing for this family pauses as future handler takes a swig from chief mechanic. Bill Turnbeaugh's "C" Class machine has West Bend's controlled by kill buttons on steering wheel (bottom, left). Sunday events often pull spectators from the adjacent drag strip to see what the fuss is.






& CUSTO VEMBER, 1959



dorney park speedway, allentown, pennsylvania



ROD & CUSTO OVE

Pac Dor fini: A popular karting spot for enthusiasts in the greater New York City area, Darney Park falls under the sanction of the Grand Prix Kart Club and stages regular events, including night races. John Christy (left), former editor of Car Craft and R&C contributor, is regular attendant and staunch booster of karting. Presently editor of well-known automotive magazine in New York, John runs single engine Class A kart.

Bill Reickl, local talent, makes good in roll barequipped Class B kart, taking checkered flag in Bug.







Pack is strung out through Dorney Bend, heading for finish line. Marty Acker (#12) came through for win.

ınia

Rolf Rosengreen's potent #55 with twin Power Products AH-81's elad for the Robert Plarr Trophy. A powerhouse.



shotos by whiler

PETITION


butler speedway, los angeles, california





ROD & CUSTOM

58



The 1/2 mile Butter Speedway located in southwestern Los Angeles, is a neighbor to the famous New Ascot Speedway, where the kurts larger counterparts, stock cars and cycles, race. With a variety of curves, one 20 degree banked curve, and large flat shoulders the track offers both sexes and all ages exciting but very safe competition.

ornia

CUSTOM

Jim Butler (upper left) gives green flag to a group of flying karts. Jim, owner, manager starter, referee and mediator, runs the track in a relaxed; but efficient manner. Coming through the esses (far left) a group of gals cut the corner into the main straight. Kathy Downing (left) gets checkered flag, track was holding a match contest between the Butler kart club and the Valley kart club. Match went down to the wire — it wasn't decided 'till last race, with the Butler club winning in a real squeaker. Banker curve (above) can be seen in background as karters roar into esses.

Wherever there are karters there are

innovators, as witness the twin engined class C kart, with mills mounted over front axle. Large pit area (right) is capable of handling over 50 karts.

NOVEMBER, 1959





Putt-Putts for progressives


This month the Putt Putt is an example of what could be done if a large factory set their mind to mass producing a kart. The result would be a very high quality item to sell around \$100.00.


The main section which includes the seat, rear motor and wheel brackets, steering brackets and front end support is stamped out of one main piece of magnesium alloy. This unit with its many shapes and triangular sections is really a simple unit body. Although slightly more flexible than a tube frame set-up, the extra flexibility should help the handling by absorbing some of the bumps.

The front section is complete with all steering, spindles, wheels, pedals. The main section (a casting) comes complete with all the brackets and bearing supports included. In assembly it would be quite a quick task to push this whole unit and fasten it to the main section. The pedals now drop into place from the top and are attached to the springs and cables. The steering wheel and short support arm does the same.

As the first two units, the engine section is also complete and can be purchased with 1, 2 or 3 engines. In races the owner could buy different engine set-ups and race in more than one class.

So-oo-o the market is wide open to a forward looking industry who would not be afraid to go into karts - "Big Time".





127H IN A SERIES OF EXPERIMENTAL GO KARTS BY C. MILLY

NOVEMBER, 1959



Wheeling into the pits at the stroke midnight, Friday, July 24th, an exausted driver rose from his kart at e conclusion of an endurance run hich had lasted for seven days and ven nights. The two and a half mile ad racing course which twists up ad down a craggy hillside in the eart of the Mojave Desert of Southn California had been lapped 2,104 mes in the 168 hours for a total disnce of 5,260 miles. Despite two stops hours duration which dropped the verage considerably, the overall averre still stood at 31.31 mph, These alfunctions were the result of rupred fuel tanks, larger than the noral size, which had been mounted for

increased range on the endurance kart. The kart itself was a normal production run Go Kart Manufacturing Co. chassis of the 400 B series fitted with the optional West Bend #700 engine and Go Kart slick racing tires. the latter being replaced at 3400 miles. The engine was still functioning perfectly at the end of the run, requiring only minor periodic maintenance to the plug, points and carburetor. Total revolutions for the tiny thumper were in the over 20,000,000 bracket. Aside from the gas tank, the only change in the kart's appearance was the addition of a "rabbit bar" bumper at the front to protect the steering from damage continued on p. 92

> R&C's editor gets shoved off for an eyeball-jarring ride on the rough surface of the Willow Spring Racing Course. Pathway in front of pits led through lane of cones with lap counter tripped by electric eye. Lead photo at top shows desolate terrain but gives little hint of extreme heat.









JUST BLEW IN FROM SEBRING...AND THIS NECKLACE! YOU

LED ME TO BELIEVE IT WAS YOUR TIMING SEAR

CHAIN. OFF YOUR KART I FIND OUT! HOW CAN I EVER FACE MY FRIEND



MON! HERE COMES PETE MOSS'S WIFE. I CAN'T LET HER SEE ME.



ARE YOU GOING TO ENTER THE GIRLS
RACE? PETE THINKS THEY'RE CUTE













and its effect
and their suppliers proves...

BIG BUSINESS

light plants and small chainsaws, Investigation proved the real source of this new demand, but the volume merely warranted running greater quantities of certain types already on order, using the overage to fill the gap. In time, however, the little boy found that sticking his finger in the dike was not completely effective. A sharp awakening to the situation and instant action still failed to provide the supply needed and kart manufacturers and home builders 'round the country began to feel the squeeze. Fortunately the situation was soon remedied and shortages including tires, wheels, tubing and racing helmets as well as engines soon tapered off.

It was our pleasure to visit several large manufacturing companies during a recent trip to the midwest and hear of the growth as well as seeing the development pursuant to the karting trend.' At the Clinton Engines plant in Maquoketa (Muh-kwó-ket-uh), Iowa we found full shifts working 'round the clock, seven days a week to meet







Another trip brought us to Janesville, Wisconsin and the Fox Body Company. These manufacturers of special truck and trailer bodies believe in putting forth a quality product at a reasonable price by virtue of top volume and entered the karting field a number of months ago as a filler operation to take up the surge between refrigerated trucks and horse trailers. With the entire work crew diverted to turning tons of steel tubing into frame rails and axles on giant bending and forming machines, a stockpile of ready-to-go members was on hand. Bins of mounted wheels and tires and stacks of boxed engines lined the walls where huge punch presses put louvers into floor pans and sheared them to size. All the metal parts converged on the assembly line where a team of arc welders took over, mounted the members in jigs and began the assembly. Grinders came into play to smooth up any rough spots and then a conveyor belt sped the finished frames toward the paint shop. Subassemblies put sprockets on wheel hubs and all met at final assembly before being shuttled to another building for storage prior to shipping or on-thespot sale.









if you're
interested in kart
racing you'll be
interested in . . .



By MILFORD SCOTT

TWO-STROKE

To some people it seemed wasteful to get only one power stroke out of a cylinder during two revolutions of the crankshaft as in the four cycle "Otto" engine, so the two-stroke cycle engine was developed. This engine has the advantage of getting more power for its size and weight than the four cycle "Otto" engine but due to its design of letting the gases out of one port while the incoming air fuel comes into the other port on the same stroke some of the inlet charge is exhausted or mixed with the burned gases which causes a waste of fuel. This makes it not too practical for automobiles but its weight and size make it handy for outboards, motorcycles and go karts. There are many ways of making this engine more efficient so let's start with the intake timing.

INTAKE PORT TIMING

After the piston has reached the bottom of its stroke and has started up, the by-pass port closes, at this point the crankcase is sealed off so that no new gases can come into it or flow out of it until the intake port opens; but, since the piston is travelling upward the volume of the crankcase is increased so a partial vacuum is formed. At this point the intake port opens so the fuel/air is sucked into the crankcase.

When operating at high rpm the intake port must open soon enough to allow the gases to get started. In other words, the gases, as they flow into the crankcase are interrupted in their flow. They are made to stop by closing off the port—They are made to

Author "Monk" Scott, designer and builder of the Scott Injectors, works on a new desmodromic valving arrangement for the West Bend engine. Detoils on such new techniques will be found in his accompanying article.

McCulloch employee Jim Yamane
(left) proved he knew how to make
'em go by copping Class A at
GKCA Nationals. His Special uses
the Super 55 engine, stripped down
to the essentials. Affable Jimmy
was ready to assist all entrants in
tuning suggestions, thoughts on
fuel blends, etc. Well designed kart
uses Hands Engineering magnesium
wheels as did many others in top
ranks of point takers. Many things
combine to make winning kart.

start again the next time the port opens. It takes time for the gases to get started flowing after the port is opened, and when it is closed the gases tend to continue to flow and a pressure is built up. So if the engine is turning at extremely high rpm the intake port must be opened soon enough to allow the gases to get started flowing in time. Since the gases are flowing fast in one direction there is a pressure built up so you can leave the intake port open longer than it would seem possible by a theoretical timing. Opening the port before it appears that it should be opened is called "leading" and closing it after it seems that it should be closed is called "lag". The amount of "lead" and "lag" to be used in timing a two stroke engine depends on the rpm you are planning to turn.

When engines are turned extremely fast the gases are made to flow at a very high rate of speed — so high in fact that the interrupted flow appears to be continuous.

The best intake port timing so far

developed opens the intake port 50 degrees before top dead center and therefore will close 50 degrees past top dead center. This timing allows the intake port to be open for the length of time required for the crankshaft to turn through 100 degrees.

CORRECT EXHAUST PORT TIMING

As the piston moves down on the power stroke, the exhaust port must open before the by-pass port, so the pressure in the cylinder will be released in order to allow a new fuel air mixture to flow in through the bypass port. The exhaust port should be as large as posible in order to let the burned gases out of the cylinder quickly - you may enlarge these ports by filing the edges square, If the exhaust ports are opened out to the extreme, the piston rings must be pinned so they will not get caught in the port. It is important to open the exhaust port at exactly the correct time. If the exhaust port is opened too

continued en p. 86

NOVEMBER, 1959

e bot-

d up.

point

at no

w out; but.

ward

is in-

rmed.

ens so

rank-

he in-

gh to

other

into


their

clos-

de to

USTOM

69



MORE ON GO KART ENGINES

manufacturers build for the kart market
By ROGER HUNTINGTON

THIS CRAZY GO KART sport is developing so fast that we writers are apt to find our "deathless pros" obsolete almost before it's printed. All we can do is keep pounding away and hope for the best. So, with that word of apology, here we go again on engines...

NEW ENGINE POSSIBILITIES

It's interesting to trace the evolution of attitudes held by engine manufacturers toward the go kart sport. A year ago, when the sport was in its infancy, they were thumbs down on the whole deal—wouldn't have a thing to do with any effort to race their products in all-out competition. They gave us clearly to know that the engines had been designed specifically for lawn mowers and chain saws, and


that they "wouldn't be suitable" for racing conditions. They wouldn't recommend, they wouldn't advise, they wouldn't guarantee, they wouldn't listen.

That's all changed today. Go karts have become a very important mass market for small lightweight two-cycle engines... and now these same manufacturers are actually competing to get their engines on karts! They're converting existing commercial powerplants with the proper mounting brackets, carb mounting, crankshaft ends, reversing procedure, etc., and really promoting them. They even guarantee, We've even got a little price and horsepower race going on! This is wonderful news for the karters. It means more variety in design, hotter competition, closer, more inter-

McCullach Super 55A Conversion on Go Kart has an rpm of 11,000 and an hp of 6.8. The kart with a locked rear end live axle and a 7.5 gen ratio. Front wheels are 300 x 5 and 400 x 6 wheels are in the rear,

McCulloch employee Bob Ellison's Class B kart, with two Super 55A engines developing 7 hp each at 7000 rpm; note center chain drive from built-in-reduction gears in the engines...7.5il overall ratio

Center-mounted 4.9-cu. in. Homelite engine drives jackshaft ahead of engine — then to sprockets at outer ends of shaft to drive both wheels.





esting races.

ket

" for

rec-

they

ıldn't

karts

mass

cycle

anu-

g to

ey're

ower-

ting

shaft

and

even

little

g on!

kart-

sign,

inter-

ISTOM

One of the newer engine developments is the Clinton E-60. This engine was originally used on a Clinton chain saw, with right hand rotationwhich meant it could only be used on the right side of a kart. It was no trick to reverse the rotation; but the bug here was that the E-60 used a beautiful die-cast cooling shroud with a spiral shape that would only work when the blower rotated clockwise, If you reversed the engine with this shroud (and many tried) you would overheat and seize up in a few minutes. So the potential of the E-60 went unappreciated for a long time.

Now the factory has gone to work on this engine — modified an A-400 stamped cooling shroud for blower operation in either direction, tooled a

new mounting bracket for the 400 bolt pattern, and a new induction flange to carry the diaphragm-type carb horizontal. The E-60 has an entirely different block and porting than the A-400's (even though displacement is the same 5.76 cu. in.), and give about 5 kp at 5200 rpm - compared with 21/2-3 hp at 4500 for the 400's, Other important durability features of the '60: Forged steel connecting rod, needle rod bearing, ball mains, and a 3-ring piston for better cooling, The factory red-lines the engines at 6000 rpm for continuous operation, but they can be flashed to 6500 or even 7000 without danger of blowing. This new E-60 looks like a very important addition to the growing field of kart equipment - and the retail price of around

continued on p. 72

NOVEMBER, 1959

71

GO KART ENGINES

continued from p. 71

\$90. seems very reasonable for a real heavy-duty, high-performance Class A

powerplant.

I might mention in passing that the trend now is definitely away from the sleeve-bearing lawn mower engines for karts. They just don't stand up and you end up paying more for new engines or parts than if you bought a chain saw plant in the first place, for two or three times as much. I notice now where some companies are rebuilding used lawn mower models with needle-bearing rods, hardened cranks, and ball or roller mains - and retailing them at around \$40. This sounds like a real good deal.

Power Products engines are working out quite well in the karts, and proving reliable. Their best seller is the Model AH-81 chain saw engine, with 8.1 cu, in, and rated 51/2 hp at 5000 rpm. This has the anti-friction bearings throughout, weighs only 14 lbs., and retails for a reasonable \$87.75. Biggest disadvantage here is that this is a Class B displacement, so one of these engines would have to compete with two Clintons or West Bends. They are not always successful in this situation.

For the fellow who can afford to spend a little more for an engine we have the McCullochs and Homelites -"Rolls-Royce" quality in minimum transportation, A year ago these companies, with strong reputations to protect, weren't having a thing to do with go karts. But now the economic facts of life have forced their hand. and we see McCullochs and Homelites available over the counter in kart equipment shops. I see where the McCulloch people have conveniently increased the stroke of the 1959 Model Super 55A by 1/4" to make a very nice 5.3-cu. in. Class A engine. They have also offered dynamometer

continued on p. 74

Tune-up Stands, Trailers, Bodies, and a full line of Kart components.

Fully Assembled, from

8 E a ackso D e



PRICE LIST

Bantom Kart (Economy Model)	\$154.50
Bantam Kart (Deluxe Model) (Shown)	199.50
Upholstery	17.50
Roll Bar & Mounting Bracket	7.95

Manufactured by Bantam Racer Division

thrills.

The M. Mitchell Co

Hudson, Ohio

Model) Bantom Kart, may when you wish, be converted to a 1/4 or 1/2 midget auto. Through this modular design, the initial cost is not last when considering bigger

NC

y 14 able re is nt, so ve to West ssful

rd to e we tes mum comas to to do nomic

hand, elites kart a the iently 1959 ake a ngine. meter

, from

p. 74

50

Stands. Bodies. Il line of ponents.

ning for

ism. The ole) was Economy you wish, get auto. he initial g bigger

hio CUSTOM

THE S-100 \$16950 odel Shown

Heavy Duty 11/2 Inch Tubing Used

Sealed tapered Timken Wheel Bearings

★ A-490 Clinton Engine 2½ H.P. ★ 4130 Chrome Moly Tubing Used ★ 10" Tires on Front, 12" Tires on Rear

★ Completely Assembled & Painted

Color Choice: Red or White

★ Dual Brakes

ACCESSORIES AVAILABLE AT SLIGHTLY EXTRA COST

★ Uphoistering ★ Clutch

★ Herf and Sissy Bars ★ AH-81 Power Products 6 H.P. Chain Saw Racing Slicks Deluxe Steering Fork Engine

DEALER INQUIRIES INVITED

ENGINEERED EXHAUST HEADER KITS

"Let Your Engine Breathe"

Build professional-looking exhaust headers easily, using our Engineered Kits. Available for all O.H.V. V-8's including '59 models, Ford V-8-60, 85, A. Ardun and Myer Drake: Ford, Chev. and G.M.C., O.H.V. 6 cyl. Also most sportscars,

Order Direct or From Our Nettonal Distributors and Dealers
Bell Auto Parts * California Speed and Sport * Selelbrock Equipment
Co. * Henset Charley Speed Shop * Moon Equipment Co. * Offenhouser Equipment Co. * Michigan and Carodia — Noton Equipment
3336 Richfield, Flint, Michigan * Texas — AAECO, 1710 N. Arard St.
Dallas 1, Texas.

Don't be misled, insist on the FINEST - insist on engineered header kits with the formed tubes.

C.O.D.s O.K. Write for new free illustrated brochure F. O. B. San Diego



alc Kit '57-58 Old



Basic Kit '55-58 Pontioc

SAN DIEGO STEEL PRODUCTS

4955 Weeks, San Diego 10, Calif. — Phone BRowning 6-5420 — RC-11 World's Largest Manufacturers of Engineered Competition Exhaust Kits

WHATEVER YOUR BRAND OF MOTORIZED SPORT...

you can place your trust in

All three class winners at the GKCA

McHAL Enterprises . 583 m. prairie . hawfhorne, calif

BIRCHARD SALES CO.

Just Out! Our new color catalog featuring the completes line of McHal helmets, specifications, accessories, shields, goggles, prices. Send now, enclosing 25¢ for handling.



NOVEMBER, 1959

on the severest corners, Standard and de karts, both with torsion engineered frames.

FEATURES: • Disc Brakes alessit. 25% deposit

Heim Ball Joint Tie Rod Ends General Tires & Wheels 10" & 12" Clinton A-490 Engine Assembled or kit form available


\$149.50 and up Dealer Inquiries

Invited TORSION ENGINEERING CO. P.O. Box 365, RC-11, Azusa, Calif.

CHICAGO AREA

2977 N. Milwaukee Ave., Chicago, III. Phone: Days SP 2-6763 * Eve. PA 5-7680

Open Thursday Evening 2 cycle hop-ups our specialty



GO KART ENGINES

continued from p. 72

ra

col er

an

10

ar

me

the

ta

va

an

est

alc

ha

yo

"c

th:

int

op

ra

the

tiv

aff

pe:

sta

su

va

the

tw

an

no

cy

ma

Cer

(Cle

mo

NO

facilities to some factory employes who want to modify McCulloch engines for their own personal karts. Employee Bob Ellison has achieved about 7 hp from a 55A, using a big carb, filled head, ported lower end, and fuel. These engines peak their power at around 7000 rpm, and twist better than 11,000 at top speed on the track! McCulloch engines retail between \$220, and \$300.

The Homelite people still aren't having much to say - officially - but I understand they've been experimenting with their 5.0-cu. in. Series VII chain saw engines for possible kart applications, and a number have been distributed around the country for test. This engine is rated at 6hp at 5800 rpm and weighs 21 lbs. It would retail at around \$300. (Though possibly some competition between McCulloch and Homelite might bring this. down a little.)

Incidentally, one feature of these expensive high-speed chain saw engines that should be noted: They have built-in reduction gears, which makes it possible to get radical overall gear ratios witchut running into problems of sprocket clearance and minimum number of teeth. This is an important advantage. Bob Ellison's McCulloch kart has 7.5:1 overall gear ratio - and my friend Chuck Frame, of Grand Rapids, Mich., has overall

Dual West Bend engine Installation (Class B) with both engines fed from tank made from old headlight casing.



ratios from 9.3 to 12.8:1 for slow courses with his Homelite kart!! These crazy gears dig something awful ... and with a usable speed range up to 10,000 rpm or more, you can really get around a twisty course.

D. 72

loyes

gines

Em-

about

carb. fuel.

er at

than

rack

ween

aren't

- but

ment-

s VII

kart

been

y for

hp at

would

possi-

IcCul-

this.

these

saw

They

which

verall

prob-

mini-

is an

lison's

l gear

rame.

verall

Class B)

de from

CUSTOM

So dig down and see how much money you've got for kart power!

MORE TUNE-UP HINTS

We recently spent an afternoon at the Clinton factory in Clinton, Mich. talking to their engineers about various two-cycle engine problems and I came up with a number of interesting points that should be passed along.

In the first place, any designer who has worked on two-strokes will tell you quick that you're working with a "chain reaction". What they mean is that every operating factor has some influence on just about every other operating factor, For instance, if you raise the tops of the inlet ports in the cylinder wall to advance the effective "valve" opening you will also affect the exhaust scavenging, the performance of any tuned exhaust stacks, combustion rate, charging pressure in the crankcase, even the reed valve performance. The engineers say there's a string running through any two-cycle engine; you pull one end and everything moves! This is why nobody knows very much about twocycle engine design. There are just too many variables to pin down. You continued on p. 76

Center-mounted West Bend chain saw engine (Class A), with clutch driving jackshaft in framemounted trunnion bearing. Note "dropped" axle.



NOVEMBER, 1959



Send 15¢ for brochure PERVAN TOOLING CO., INC.

2112 S. Sepulveda Bivd., RC-11, Los Angeles 25, Calif.

2 SPEED FORWARD CLUTCH DRIVE

Neutral, low & high. Safe, depend-able, 2-Pulley deal. Your choice of pulleys gives you any speed de-sired. Not necessary to race meter to obtain speed, installed same as



AURELIUS-NELSON MFG. 822 Bettes Bidg., Houston 2, Texas

Largest selection of Kart Parts

- for the Do-it-Yourselfer Chrome steering wheels • Wheels (Aluminum, Steel)
 Kart front ends
 Gar-Bro Distributor
- · Sprockets all sizes
- Clutches Bearings
- Positive brakes
 Chain

10% off get acquainted offer on all parts (Limited Offer) Send for our illustrated catalog enclose 10 mailing and handling. Dealer inquiries invi

log enclose 10¢ for inquiries invited.

The BILL MATHEWS CO. P. O. Bax 37 (RC-11) San Gabriel, Calif.

CHICAGO AREA DISTRIBUTOR

- . PALMINI CART PARTS
- . GO-BOY CARTS
- . STEEN 'C'
- · INGLEWOOD TIRE
- · KARRERA HELMETS . POWER PRODUCT ENG.
- . BUG ENGINEERING



DEALERS INVITED

794 Central Ave., Highland Park, III. Phone: ID 2-0124

ULLY SUSPENDED

KARTS . QUARTER & HALF MIDGETS

Soud 25¢ for illustrated brochure

FRANK KURTIS CO. 525 w. colorado glandale, colifornia

INDIANAPOLIS SPEED SHOP 856 massachusetts ave. indianapolis 4, indiana



LITE WEIGHT.

FOR SURE GRIP. 12" DIAMETER, 14" RIM. SPECIFY STEERING COLUMN DIAMETER.

Centrifugal Clutch \$10.00 & up

\$4.95 cast

Hub caps and spinner hubs available. \$7.95 machined 25% C.O.D. ... Cosh ppd.



MERCEDES-HANKS MANUFACTURING CO. 1346 S. Seneca Ct., Dept. RC-11, Denver 23, Colo.

FUEL INIECTION SYSTEMS





The Scott #200 Injector, designed for small 2 and 4 cycle engines has a %" throat, with no venturi restriction. Ideal for racing karts and midgets. Quick starting and throttle response. Send 25¢ for full information, now,

SCOTT ENGINEERING

BOX 944-M . SANTA MONICA, CALIFORNIA

GO KART ENGINES

continued from p. 75

DIC

Cho

pla

FAT

design by experience and the seat of your pants - and hope.

Even with all this, though, the Clinton engineers could make a few general statements on certain areas of the tuning and hop-up problem. On the subjects of porting and charging, they said the major "bottleneck" (point of main restriction) in the inlet track is definitely at the ports in the cylinder wall. Porting at this point will do the most for performance, Porting out the reed plate and increasing carburetor venturi area - or even using dual carbs - are relatively less effective. The "charging pressure" in the crankcase at the time the inlet ports are uncovered is also an important per-formance factor. This will average about 6 lbs./sq.in, on Clinton engines up to 3000 rpm - and it's very hard in increase it (by decreasing crankcase volume) because of rod and crank throw clearance problems. Filling the crankcase with various plastic compounds can be quite effective. Some fellows rotate the crank with the filler in a soft state, to build up basic clearances - then use a knife to open them up a few thousandths more before it hardens. But don't be like the guy who had his filler crumble and clog oil holes!

I was especially careful to question the Clinton engineers about compression ratio. This is a very effective hop-up weapon on a four-cycle; how

continued on p. 78



ROD & CUSTOM

NOV



p. 75 at of Clingenef the the

they

nt of

ck is inder

o the

t the

retor

dual ctive. ranks are per-

erage

gines

hard

rank-

crank

g the com-Some

filler clearthem ore it y who

g oil estion pres-

ective

how

p. 78

USTOM

DICK GEER Sweepstakes Champion took all 3 first places in "B" Class.



FAYE PIERSON set new lap time of 42.2 sec.

> Send for free brochure and literature (enclose 10¢ for handling) to:

ngineering



• 3 Feet Long • 2 Feet High • A-400 2 Cycle Engine • Internal Band Brake • Speed Up to 40 MPH • Mileage Up to 125 Miles Per Gal. •

Prices stort at \$99.50

P. O. Box 91, RC-11, West Coving, Calif. . ED 4-9381

OSS PARTS KARTS



MOSS INTERNAL EXPANDING ALUMINUM BRAKE \$19.95

for SAFETY MINDED COMPETITORS

WRITE TODAY for COLORFUL BROCHURES ON THE COMPLETE LINE OF MOSS ACCES-SORIES and CARS. ENCLOSE 25¢ for POSTAGE AND HANDLING.

ALUMINUM WHEELS

5" Wheel -\$8.75 \$3.75



WHEEL

Contoured from one piece heat treated aluminum Firm grip rubbe \$11.95 ...



Get smooth constant turns with a good direct feel.

ns fittings \$2.95 es

OSS ENGINEERING CORP. 405 EAST BEACH AVE. DEPT RC-11. INGLEWOOD. CALIF

NOVEMBER, 1959



Literature on larger equipment on request FOUR-WAY WELDER COMPANY

1810 S. Federal St., Chicago 16, Illinois, Dept. F59-M



weeks-makes you an expert auto mechanic in months. You get Mechanic's Tools and a professional Tune-Up Kit of test instruments. Extra training included in Diesel or Body & Fender Repair. Write today for new, free booklet.

COMMERICIAL TRADES INSTITUTE, DEPT. A-1155
1400 Greenleaf Avenue Chicago 26, Illinois

FREE

We pay for your first TwinWeld epoxy test. Dramatic-action, FREE, one-about twin package

SAMPLE

Dramatic-action, FREE, one-shot twin package fastens anything to anything. Never shrinks—never weakens. Permanently joins metal to glass, concrete, ceramics, wood, rubber, fiberglass, etc. Can be formed, shaped, molded for use in home, auto, boat, shop, farm. Rush postcard for your FREE tubes to: Fybrgias Industries, 3812-P Montrose, Chicago 18, Illinois.

AVIATION CAREER

SPECIALIZED EDUCATION / PROFESSIONAL TRAINING...only 16 months to 2 years

Technology prestige positions, bright future in eviction, Job appartmittes waiting for you as soon as you're ready. Air-frame and Powerplant Technician, Aeronautical Engineering Technologist, Business or Executive Plato. Classes in Miami.

SEND FOR FREE 48-PAGE BOOK

Embry-R	iddle A	eronauti	ical Institu	rte .
Dept. H	Miami,	Florida	(Founder	d 1926)

١					-	-	*	-	-	-	-	*	*	-	*	*	•	•	•	•	•	-	•	*	-	~	*	7	*	٠.	~	~	~	٥	
i	Address	١.														•																•			
١	CWY															Z	0	-						Sie	he	ı									

GO KART ENGINES

cantinued from p. 76

about a two-stroke? It turns out that compression is sharply limited here by pre-ignition. An air-cooled cylinder runs a lot hotter than a liquid-cooled. Also the big deflector top on the piston in a two-cycle stores heat and acts as a big hot spot - which isn't helped by a 2-ring piston that can't efficiently transfer the heat to the walls. Result: When the compression pressure reaches 105-110 psi spontaneous ignition is almost inevitable. This limits volumetric compression ratio to the neighborhood of 71/2 or 8:1. Obviously alcohol fuel, with its cooling effect if combined with a considerably higher volumetric compression ratio - should be a very effective hop-up trick.

I asked about re-contouring the deflector top of the piston, to improve air flow in and out of the cylinder. This is risky, too, as the incoming mixture must be made to go steeply upward and wash the spark plug. If the mixture were only deflected up 45 degrees or so the engine would likely not even run. With oil mixed with the fuel, of course, plug fouling is always critical. You've got to wash that plug constantly with fresh mixture—and this means air flow into the cylinder can't be as streamlined as we might like. And, on this same subject continued on p. 80

Twin-cylinder 15-cu. in. Excelsior motorcycle engine installation for Class C; rear axle drives both rear wheels - houses differentiall



ROD & CUSTOM

on talso using have

1275

G

ı

NOV

FASTEST QUALIFIER

1st & 2nd in Go Kart Nationals at Azusa, Calif. Winner Al McDonald asys, "After replacing my tires with Inglewood Slicks I went on to win the Nationals Class "C" Go Kart Championship and also set the fastest qualifying time in all classes. After using several other brands of tires, I foel that I couldn't have done it without using the Inglewood Slicks."

Al McDonald

1st - Al McDonald 2nd - Bill Landefield

T-shirts available with 2 press-on decals, \$1.00 each. Decals only to press on your own T-shirts 10¢ each. Guaranteed washable.

INGLEWOOD TIRE'S EXCLUSIVE

POS-A-TRACTION THE TIRES THAT PUT 'GO-GO-GO' IN

GO KARTS. QUARTER. HALF and MICRO MIDGETS

p. 76

that re by inder poled. pis-

acts

elped

ently . Re-

ssure

igni-

imits

the ously

ect -

igher hould

e de-

prove

nder.

ming

eeply

g. If d up would nixed uling wash mixto the as we bject

p. 80

orcycle

axle rentiall

STOM



Where power counts on a large engine go kart, Inglewood Pos-A-traction Tires are the choice of champions.

New Low Prices on our

New Low Prices on our

Pos-A-Traction Slicks \$8,95 up
Inglewood Tire's 20 years experience in developing
designs and exclusive rubber compounds for racing
tires has contributed immensely to the popularity
of these events. The tires are the only contact
between car and track. and the finest built engines can't overcome the handicap of an inferior
design or rubber compound.

NOW I factory slicks at only \$8.95
Lite weight Magnesium Wheels also available ... a
perfect competitive team with our kart racing slicks.

SEND ONLY TO FOR COMPLETE

INGLEWOOD TIRE SERVICE

1101 E. Redondo Blvd., RC-11 ORegon 8-2054



ASTORENB ENGINE OF DESCRIPTION OF PERSONS

> 3042 Sunset Blvd., RC-11 Los Angeles 22, Calif.

Castorene Cartoil is carefully cold compounded castor and mineral oils designed to protect 2 cycle engines at the highest temperatures and rpm.

Used by the championship Bug Engineering, Reed Engineering, Gad Cart, and Ingels-Borelli factory teams.

Castorene disperses instantly in gasoline and fuel mixtures, providing a tough, thin lubricating film throughout your engine.

Available in 1 qt. and read-to-mix 1/2 pint sizes. Find out today about this premium lubricant.

\$1.25 gt. - minimum order 6 gts. 45¢ 1/2 pint minimum order handy six 1/2-pint pack.

VOLKS CART — each painstakingly hand crafted by the world's foremost Formula III sports car builder. \$189.50 and up. Complete plans and parts list \$3.00. Send 25¢ today for brochure.

ECHO Engineering Co.





GO KART ENGINES

centinued from p. 78 of combustion, we should mention that a two-cycle engine requires relatively more spark advance under equal conditions than a four-cycle; but it seems to be more sensitive to advance at the high and low end. Clinton engineers doubted that a variable spark advance would pay for itself in go kart racing as long as engine speed is kept above about 2000 rpm at all times. (Variable spark advance is mostly to smooth the idle.)

SUP

We talked a lot about fuel mixtures and tuning. It seems a lot of kart boys (myself included, I fear) have been laboring under the delusion that power and torque are very sensitive to both the air-fuel ratio and the fuel-oil ratio. Clinton engineers say this is not true. You can fiddle with the mixture needle all day and not gain 10% in hp. Or change from a fuel-oil ratio of 8:1 to 16:1 will make barely 5% difference in power and torque. We forget sometimes that the oil burns and, in fact, the BTU's of heat released per pound are as much as gasoline. Of course the oil has a much higher flash point or ignition temperature, so it has the effect of slowing down combustion and requiring more spark advance. So Clinton goes right along with a recommended fuel-oil ratio of 8:1 for break-in, and 12 or 16:1 for regular running. Using plenty of oil costs very little in performance

continued on p. 82

. CI

• Di

· Cu

NOV



OUCH! HEY! The TOE, the TOE!

LONGER LIFE !... FULL SLEEVE SUPPORTED BEARINGS.

n p. 78 n that

atively l conseems at the ineer

ivance racing. above riable

mooth

xtures

t boys been power o both uel-oil his is

e mixn 10% 1 ratio lv 5% e. We urns at regasomuch nperalowing

more right

uel-oil

12 or plenty mance n p. 82

CE TO

CUSTOM



SPROCKET TYPE CLUTCH -INSTALL IT YOURSELF ON ENGINE FOR DIRECT DRIVE TO WHEEL

Go-Carts "GO BETTER"

when you install a
MERCURY

utomatic CLUTCH

Buy from the people who know clutches best - buy a Mercury



1/4" BORE	%" BORE	%" BORE	%" BORE	%" BORE
14T-40RC	10T-35RC	9T-41RC	12T-35RC	14T-40RC
14T-41RC	14T-40RC	10T-35RC	12T-408C	14T-41RC
	14T-41RC	11T-35RC	12T-41RC	
		12T-35RC	13T-35RC	
		12T-41RC	14T-40RC	1
-		14T-40RC	14T-41RC	
		14T-41RC		

ociate Member of AKMA dedicated to high standards and safety for Go-Karting.

MERCURY CLUTCH DIVISION . AUTOMATIC STEEL PRODUCTS CO. 1201 CAMDEN AVE. S. W. . CANTON 6, OHIO

MEMBERS RECEIVE:

- e Club I.D. Card
- KOA Decal
- Special Discount Catalog
- · KOA Club Newspaper
- Custom and Speed Problems Answered
- * Assistance in Forming Clubs

DISCOUNTS ON:

- Jackets, T-Shirts
- · Lapel Pins, Emblems · Dash Plaques, Plates
- Trophies
- Custom Rugs and Uphoistery

Leading Monthly Auto Magazines CITY_

No Age Limit No Car Necessary

 Custom Automotive Accessories Ansen Speed Equipment

\$ for years' dues, entitling me to an official membership card, windshield decal, special discount catalog, KDA news subscription and full association privileges.

ADDRESS.

STATE



Join Today!

BARRIS SANCTIONED


MATIONALLY ORGANIZED CUSTOM & SPEED CLUB

S880 Hollywood Bivd., Hellywood 28, California, RC-11
I hereby apply for memberahip in Kustoms of America and enclose

Open to Men & Women

Membership Only \$3 a Year





midget motors





shaft sizes. 10g for literature. Disc. to Dealers & Mfgrs.
STEERITE PRODUCTS Dept. RC-11
Box 221, Long Branch, N.J.

WATCH FOR ...

IN DECEMBER
ROD & CUSTOM

GO KART ENGINES

continued from p. 80

- and is wonderful insurance.

On the air-fuel ratio, they say we tend to run too lean. Get this important point: Unlike a four-cycle engine, with the two-cycle the optimum mixture is much richer at full load than with no load. Thus if you adjust the mixture needle to run smooth when there is no load on the engine and it's running free, it will be too lean at full throttle, And vice versa, Best way to adjust the mixture is still to do it under full load on a dynamometer or on the track. But if you can't do this, then richen up the mixture till the engine misses and stumbles under no load ... then it should be just about right at full load. Just remember that the same needle setting cannot be optimum at both light and full load.

So let's get those karts out there and go!

Last minute developments before press time show that engine manufacturers are definitely making progress on their kart engines. Clinton has announced the E-65 engine, available in both rotations for dual engine use. They call this one the "Challenger" and rate it at 4.5 hp. List is \$96.50. Also new in the lineup is West Bend's hot 5.8 cu, in, engine (slated to replace the 510 and 645 series, Pictured below, this model has new mounts for better adjustment and integral gas tank, No spill cap on tank and exhaust stack are further improvements made with karting in mind. No definite word from other companies ... but they are working! (Ed.)



NOV

GO-BOY CARTS



Phone us collect to order a sample Go-Boy at a special DISCOUNT!

. F.-M. Clutches, Slicks, Racing Helments, Go Cart Trophies, Goggles and other accessories available.

ay we

impor-

le en-

timum ll load adjust when nd it's ean at st way o do it eter or o this. ill the der no about

er that be op-

load. there

before

nufacrogress

as an-

able in

e 1486.

enger"

\$96.50. Bend's

replace below.

better nk. No ick are

h kart l from work-

CUSTOM

carts, motors, racing, club rules, etc., send TODA's

FOX GO BOY CARTS, BOX 621R, JANESVILLE, WISCONSIN

MILLARKEY.

LONG SLEEVE \$5.50 ANY DESIGN SHORT SLEEVE



ORIGINAL BLOW-OFF Decal CHEVROLET



PLUS MANY MORE

FORD

P.O. BOX 667 (RC-11) LOMITA, CALIFORNIA

NOVEMBER, 1959

93

TIMEN BEARING Midget Car WHEELS







WIDE BASE WHEELS-WITH 10" and 12" PNEUMATIC TIRES

"Timken" ¼-inch automotive type bearings to stand severe racing service. Standard or extended offset hub. Drive sprockets welded to hub, or mounting flange to accept sprocket of your own choice. 200 Series Wheel for 4.10/3.50x4 (10.3" OD. tire), and 500 Series Wheel for 4.10/3.50x6 (12.6" OD. tire)

Also available with 1/2-inch and 1/4-inch low speed bearings for Go-Cart use.

10 x 2.75" SEMI-PNEUMATICS

We also offer our 150 Series cushion tired wheels with 1/4-inch and 1/4-inch low speed bearings for Go-Cart applications.

A FULL LINE OF DEMOUNTABLES, UP TO AND INCLUDING 12" RIMS

DICO COMPANY • 210 S. W. 16th St., Des Moines 5, lowa SOLD BY MIDGET CAR MANUFACTURERS AND WHEEL WHOLESALERS

GRAND NATIONAL GO KARTING
SWEEPSTAKES CHAMPIO

See your local dealer or write for free information.. Dealer inquiries invited.



Champion Dick Geer in his Bug Kart chose
A-1 custom built racing slicks to top the field
at the 1959 Go Kart Nationals. A-1's provide
a full 4 inches of surface width for maximum
cornering speeds. Long life with sure bite
will clip precious seconds off your lap time too!
Available either grooved or ungrooved.

A-1 TIRE

SERVICE

1217 W. Valley, Dept. R-11 El Monte, California

NO



MS

wa

too!

CUSTOM

FOR COMPETITION OR PUN...A ROCKET KART FOR EVERYONE

On a race track or around the backyard, you will find Rocket Kart to be a WINNER! Safety and security are built in . . . with the highest standards of engineering possible.

Rocket Kart





Rocket Deluxe

Assembled Kit Kart







"Father and Son Do It Yourself Kit Karts" SEE YOUR HEAVEST ROC-KET KART DEALER ON

ATTERPTION DEALERS. For further interesting during their soles that and beautiful Write or Blance

Rocket Industries, Inc.

FANCELES IN CAUSE AND CASE



NOVEMBER, 1959

85



Home appitances, Autoparts, Farmgarden equipment, toys. Make and repair playground equipment, lawn chairs, tables, orna mental

from work, gates, wagens, etc. Solder, heat, bend and girasphine with terrific heat from art toech. Cut and well up to he" steel plate. A million uses for Home, auto. farm, inventors, factories, etc. Words from any home 181 voils play-in. Complete with dark welders mask, art torch, supply of welding and branking reds. Solder, flux, and complete Welding and branking reds. Solder, flux, and efficient 1yr, guarantee. W. 4 lbs.

SEND ONLY \$3.00 (coab, ck. mo) and pay postman 50.55 pins C.O.D. puts, on arrival or send \$12.05 foe P. Paid Delivery. Ideal gift for mechanically minded home owners, relatives, triends.

Order now for early delivery. Available unly from:

MIDWAY WELDER THE THEFT STREET, STREET,

REUPHOLSTER with a BRUSH!



Renew dull, faded, worn leather or viryl plastic upholstery. Car, plane or beat seats, headliners, sidepane els will look new in any color. Redesign, customize new or used interiors. You can change color too! Easily applied brush or spray. RamCote Flexible Finishes

(not a paint) impregnates leather or vinyl plastic upholstery. Won't chip or seel. Fadeproof, waterproof. Use on home & lawn furniture. Write for tree information, color chart, and dealer location.

RAMCOTE, 1141 W. 69th St. Chicago 21, III., Dept. RC







5805 E. Beverly Blvd., Dept. 185, Los Angeles 22, Celif.

SOUPING

continued from p. 79

soon, the gases will be released before they have finished expanding, and there will be a loss of power. If the exhaust port is opened too late, all the burned gases will not leave the cylinder and therefore will hinder the incoming charge. The best timing, so far developed, opens the exhaust port 112 degrees past top dead center. therefore it wil remain open 112 degrees before top dead center - a small portion of the new charge will be lost on the piston upward stroke, because the exhaust port will be opened 10 degrees after the by-pass port has closed, but the advantages outweigh the disadvantages by far.

BY-PASS PORT TIMING

The importance of the correct bypass timing may be understood when we realize that when the piston moves downward the gases in the crankcase are compressed, and as the piston moves past the by-pass port, it opens, which allows the gases in the crankcase to enter the cylinder. By opening the by-pass port at exactly the correct time a larger charge will enter the cylinder. The exact time for the bypass port to open is when the pressure in the cylinder equals the pressure in the crankcase; and that is about 9 or 10 degrees past the point where the exhaust port has opened. The best bypass port timing so far developed opens the by-pass port 122 degrees past top dead center, therefore it will remain open 122 degrees before top dead center. The by-pass port should be polished smooth. This will reduce the friction of the fuel air mixture and a larger charge will enter.

PISTONS

Pistons should be polished all over. Be careful not to take any metal off the skirts. You may take a little (.003) off the ring-lands; don't touch the ring grooves. The rings should fit so they will slide into the grooves easily, but you shouldn't be able to feel any ver-

ROD & CUSTOM

fe

C

m

NO

have gas and oil, will travel . . . fast!

CENTURY SPEED-KART MARK I



DO OTHER KARTS INCLUDE ALL THESE FEATURES AT ADVERTISED PRICES?

- High speed A-400 Clinton Panther Engine complete with recoil starter.
- Race track tested ball bearing steering linkage.
- Jig welded frame and front wheel spindles for accurate alignment.
- Ball bearing front wheels with 10" traction
- Timken Tapered Roller Bearing rear wheels with 12" studded tires.
- Full length floor mat.

fore and the the yline in-

port

nter,

mall

lost

d 10

has

t by-

when noves kcase

iston

pens, rankening

r the

e by-

esure

are in

t 9 or

re the

st by-

eloped

egrees

it will

re top

should

reduce

ixture

tal off (.003)

o they ly, but

n p. 88

CUSTOM

· Foot pedal throttle control.


Send 20c for folder covering complete details of power options, accessories and parts lists for do-it-yourself projects. SEND FOR NAME OF NEAREST DEALER or BUY DIRECT. 30% minimum deposit on all orders. Balance C.O.D. Ohio residents add 3% sales tax.

YOU CAN WIN ONE

Enter our CENTURY SPEED-KART MARK I Introductory Contest.

Simply write your name, address and name of your Kart Club, if you belong to one, on a postcard and mail to us. On Nov. 15 a drawing will be conducted. The person whose name appears on the lucky card will win a new Century Speed-Kart Model MARK I. If the winner has already purchased a MARK I, he ar she will be refunded the purchase price.

Don't Miss Outl Send Your Card Teday!



GALION, OHIO, U.S.A.



finey & Ca., 1917 u-11)Archer Ave., Chicago 16, Ill. nt 1959 Catalog of Auto Accessories & Paris. I ento cover part of mailing & handling cost, refunded on \$5.00 or more order. This Offer Good in U.S.A. only.

SOUPING

continued from p. 86

tical movements by hand. The piston should be dry lubed or electro filmed, if possible. If these platings are not available you should spray piston with spray graphite; this will keep piston from seizing.

RINGS

Low tension rings are recommended for racing. You will have to replace them after about three races, Chromeplated rings are not recommended because they tend to wear bare,

ADVANTAGES OF ROTARY VALVE OVER PISTON VALVES

It will seem that if a piston intake port is made to close at 55 degrees past top dead center, it must also open at 55 degrees before top dead center. On the other hand if the piston intake port were made to open at 125 degrees before top dead center, it would have to close at 125 degrees past top dead center. Not only would this be the wrong place for it to close for efficient intake timing, but it would throw the by-pass and exhaust porting completely out of line. The most that can be expected it to time the intake port to the best closing point. All things considered, the best timing, open the intake port 50 degrees before top dead center; this means that the intake port is open for the length of time required for the crankshaft to turn through 100 degrees.

continued on p. 91



" OF COURSE IN RIDING A KART! ..

Priced

ton

ed. not

ith ton

ded ace me-

be-

LVE

ake

past

a at On take

rees

nave

dead

the eient

the

comcan

port

ings

the dead

port nired 100

p. 91

USTOM

MORE EXCLUSIVE "FIRSTS" THAN ANY OTHER CART IN THE FIELD

2ND PLACE IN "B" CLASS AT GKCA NATIONALS.

2NO PLACE IN "" CLASS AT UNCA NATIONAL MOVE HAVE REPORTED TO THE CONTROL OF THE C

These features and many more are detailed in our FREE brochure, send 25¢ to cover handling

701 HEINZ AVENUE BERKELEY, CALIF.

HOVEY MACHINE PRODUCTS

Racing Kits

Center drive

Adjustable er

Brake & throttle rods



Dealer inquiries invited In Calif, add 4% sales tax. NO C.O.B.'s.

.\$11.95 Italian JUNIOR HELMETS .

Rugged white fibreglass
 Genuine leather adjustable harness & chin strap
 Goggle strap loop
 Goggle strap loop
 Gire distance oround child's head in inches for size)

PLASTIC RACING GOGGLES

Dust free/windproof replaceable safety lens, Padded foam rim cushion, Adjustable strap,

KART SAFETY BELTS \$9.95 Positive metal to metal quick release buckle, 3000 lb. red nylon webbing; 2" wide, 48" long.

Complete Kit...Only \$22.95 Includes • Helmet • Goggles • Safety Belt FREE plastic bag for helmet and goggles with kit.

Send for FREE leaflet on Italian racing coveralls for men & kids; adult helmets; glaves; stop watches, etc.

AUTOBOOKS...2900 K MAGNOLIA BLVD., BURBANK 11, CALIF.

Band type brakes Spindle stops Hi-pressure

grease fittings

ACE RACE

An advanced husky cart that goes and handles like a real winner. Only the finest components and engineering are used in our brand new model. Compare these features! Full 5" size ball bearing wheels (Timken rollers on drive wheel). Front nerf for steering protection. Seat side plates. Big area band brake for sure and fast stopping. Newest Clinton engine. Dropped axie and frame for stability. Available in complete kit for \$1 2995

or fully assembled from ... \$15950

ACER-HAULER


Cart trailer with fenders, 6" Timken bearing wheels for fast towing. All welded construction, complete with

tall light and hitch, painted and ready to roll - only \$7950 Send 25¢ for new catalog on Acer Racers & Acer Nauler—\$2.00 for complete blueprints & specifications.

Dealers write on letterhead!

THE ACER COMPANY Cockeysville, RC-11, Maryland

NOVEMBER, 1959



easily mounted to roadsters and coupes for street or competition, available in several styles and many radiuses to fit all tire widths and diameters, our complete selection features prices starting at \$9.95 a pair

cycle fenders





SENDLARGE SELF-AD-DRESSED STAMPEDEN-VELOPE FOR COMPLETE IN-





NO

SOUPING

la-

ing

centinued from p. 88

The rotary valve engine opens the intake valve at a point 125 degrees before top dead center and closes at 55 degrees past top dead center. It is therefore open for the length of time required for the crankshaft to turn through 180 degrees. Since it has been proved that a fresh charge does actually continue to flow during all this time, the rotary valve engine is able to take in a larger volume of gases on each stroke. As a result more heat is produced because there is more fuel burned and it is therefore possible to obtain more power from a rotary valve engine.

Part II of SOUPING the TWO-STROKE will appear in next month's R&C. Points included will be BALANCING, REED VALVES, HOW TO RAISE CRANKCASE PRESSURE, IGNITION TIMING, FUEL, AND CARBURETION. Don't miss out on this very valuable hop-up section.

CARSHOW

November 7, 8

Road Knights, Inc. Roberts Municipal Stadium Evansville, Indiana

October 10, 11

"Drivin' Deuces" of Carlstadt Teaneck Armory Teaneck, New Jersey

October 30, 31 & Nev. 1

Multnomah Hot Rod Council Pacific International Bldg. Portland, Oregon

October 24, 25

International Motor Sports Assn. Veterans Memorial Auditorium Des Moines, Iowa

November 26, 27, 28, 29

Shows, Inc. Kentucky Fair & Exposition Center Louisville, Kentucky

December 11, 12, 13

Shows, Inc. Allen County Memorial Coliseum Fort Wayne, Indiana

F-U-N!



IT'S EXCITING!

join the thousands of KART enthusiasts who have discovered this new, frolicking hobby for the entire family . . . it's FUN, SAFE and EXCITING.



ESPECIALLY!

when you drive the revolutionary NEW BATES-KART with the famous front axle steering . . PLUS many, many outstanding features offered ONLY with the

BATES-KART ... the KART with "built in" FUN.

pon't walt! . . . There's family pleasure at your very finger tips . . . Simply drop us a card today.

BATES-KART

P. O. Box 72116
Dept. FRC-1
BATES MOTOR SPORTS
Los Angeles 2, Calif.

USTOM





SUPERTUNED SCAVENGER



POTVIN EQUIPMENT

92

THE LONGEST HAUL

centinued from p. 62

in the event of collision with a jackrabbit, coyote or other wildlife abounding the area. The move proved wise when late in the week a giant jackrabbit was knocked into the driver's lap where it rode for several hundred feet before bailing out. Snakes, lizards. kangaroo rats and other creatures were constant course hazards.

Desert temperatures soared near the 120° mark during the day and dipped as low as 55° one morning before sunrise, and a desert rainstorm contributed to the hardships endured by the crew who camped on the spot, Nonetheless, the kart was kept going, night and day. Night driving was by moonlight, or beyond those hours, ahead of an automobile which lighted the way.

R&C's editor, covering the activity, was quickly pressed into service to spell the tired drivers and thus became one of 28 who took turns behind the wheel, Firsthand knowledge of the track proved the ride to be anything but monotonous. The kart was run at full throttle the entire distance around the course and speeds of 65 mph were reached going in and through a downhill, off-camber "S" turn, taken in a drift. Further "editorial" duties included cooking breakfast for a hungry crew. Relief came soon as chief mechanic Kenny Young arrived from Palmdale to take over for the day. Young's son, Chris, had the second highest number of laps, not far behind lightweight enthusiast Willie Honsberger. Former R&C staffers Fred Beindorff, Spencer Murray and Marvin Patchen also figured high in lap counts.

The long haul was sponsored jointly by the Go Kart Mfg. Co. and General Petroleum, Mobilgas "R" regular fuel was used exclusively for an average of 52 mpg. A free booklet with complete statistics, photographs and sidelight details is available for the writing from Go Kart Mfg. Co., Azusa, California for those interested in the records set, preparations, drivers, etc. Ask for "PROJECT ENDURANCE". •



Put the GO in your KART



ackandwise acker's dred rds. ures

r the pped sun-

tribthe

oneight

oond of way.

vity,

e to

be-

hind

f the hing

in at

ound

were own-

in a

s in-

ngry

me-

from

day.

econd

r be-

Willie

affers

and

gh in

pintly

neral r fuel age of

nplete

elight

riting

Calie rec-

e, Ask

USTOM

- BUILT-IN CLUTCH "loc-in" FEA-TURE. (Only a matter of seconds to change from clutch-equipped to constant drive racer. When ordering please specify.)
- PRECISION-CALIBRATED ENGAGEMENT SPRINGS.
- CHROME BRIGHT FINISH
- OVEN-BONDED HEAVY-DUTY FRICTION LINING.
- DOUBLE-KEYED HUB FOR MAXIMUM STRENGTH.
- BUILT-IN PULLER HOLES.
- FULL BEARING SUPPORTS.
- SIMPLE FIELD INSTALLATIONS. No alteration of clutch or engine required.
- MODELS FOR ALL ENGINES 1 to 7 h.p., 2-cycle or 4-cycle.





TYPE 5-300, COMET CLUTCH

- Smooth, Positive-Drive Take-Offs.
- Non-Chattering, Non-Grabbing.
- Completely Automatic.
- Easy Starting, Idling and Stopping.
- Quick Acceleration.
- No Bogging Down on Turns.

SPROCKETS AVAILABLE

% Pitch	Sprocket-	#35 Chain
11 Tool		12 Tooth
1/2 Pitch Spr	ocket-#40	or #41 Chain
10 Tooth	11 Tooth	12 Tooth
V-BELT	DRIVES also av	ailable

MANUFACTURERS DISTRIBUTORS-DEALERS-Write for Prices and Engineering Data

POSTPAID

INDUSTRIES, 867 Elm Place, Richmond, Indiana



GO KART * BUG * FOX GO-BOY CART

HANKS SPEED SHOP

708 Lancaster Ave., RC-11

Berwyn, Pennsylvania



IN THE NATION CUSTOM DESIGNED FOR YOUR CLUB!

Heavy, 3-D aluminum or brass castings.
 Many stock designs for individual orders.
 Complete service, polishing, painting, drilling, mounts.
 Free literature.

SEND 25# TODAY

or complete catalog on Embloms, chets, Docals, Plaques, Havelties including information on how to



EMBLEM

1072-Q No. Wilton Pl., Hollywood 38, Calif.



ROD & CUSTOM

GET
YOUR
COPY



NEW 16-page Dart-Kart Catalog

- Describes and illustrates 23 models from single A-400 to Twin 810's.
- Shows a complete line of accessories to improve performance, making Karting more fun.
- Shows you how to start with a low price model and add power, speed and performance later.
- Shows why Dart-Karts are setting track records all over the country in A, B and C Class competition.

SEND 25c to cover postage and handling

DEALERS: This is the Kart that

DEALERS: This is the Kart that sells on sight. Protected territories. You get complete sales literature, ad mats and other selling helps. Write for complete information.

THE RUPP MFG. CO. • KART DIV. 302 Bowman St. • Mansfield, Ohio Doot KARI

NOVEMBER, 1959

95

-

OR

JB!

LEM ANY Calif.

S mge mge

Only

CUSTOM



THE ECONOMY KART is still tops in popularity. Scale plans, materials list, exploded views, assembled virusings for a low-cost kart with simple construction for the home builder. \$2.00

All plans, drawings sent ppd. Calif. add 4%



DELTA design box 1131-A fleetwood annex

covina in california



WELD IT YOURSELF IN A JIFFY

Weld, cut, braze, solder IRON, STEEL, BRONZE, BRASS, ALUMI-NUM & OTHER METALS . . .

Auto, truck, shop and farm equipment break-down always cause amonying and costly delays. Don't let them bother you. Get a Dynamic transformer type Arc Welder. With the Dynamic you can also make your own wrought iron, household, lawn furniture and many knicknacks. Do expert work on your first job. Operates from any properly wired 1.10 volt AC line. The handlest tool in your workshop. A Dynamic Welder will save its low cost of only \$38.50 f.g.b. in both time and money. Literature on larger equipment on request.

DYNAMIC INBUSTRIAL types transformer Arc Welder 75 amp, exiper for index-vival or Workshop use.

BYNAMIC BRUSTRIAL types
To amp, exiper for index-vival or Workshop use.

DYNAMIC WELDER CO. Bept. D38-M, 1806 S. Feder Chicago 18, III. \$38.50 f.e.b.
Send only \$6.00
check or M.O.
Pay Postman
balance plus
chages. 10 day
money back and
1 year guarantee.
EASY PAY PLAN
Low down payment. Pay as



you weld.

Free Details and "How to Weld"

NEW KART CLUB

continued from p. 52

Judging by the caliber of the intended entrants this will be no empty claim. Go Kart Club of America National Champion Dick Geer is preparing to enter the fracas and may well show the big car boys the short way home.

Membership in the GPKCA is \$5.00 per individual membership which guarantees insurance at all sanctioned events and includes a book of rules and regulations and sew-on pocket patch. Membership to existing local clubs who wish to affiliate is \$10.00. All inquiries should be addressed to the Grand Prix Kart Club of America at Box 137, Hopatcong, New Jersey.

Karting Is Big Business

continued from p. 67

Upholstery manufacturers are feeling the pull for vast quantities of materials needed to meet the demand for comfort, with over half of all karts made or sold having some form of seat padding and covering. Engine suppliers find that the increased interest in multiple engined karts keeps them hopping and 'cappers of the popular and functional slick racing tires are keeping the molds hot up to the point of running short of available 'capping material. The major tire manufacturers in the country have crash programs to supply the industry with casings and tread patterns suited to the rigors imposed by free-wheeling kart enthusiasts who in their enthusiasm, go through a set of tractor tires furnished as original equipment on some karts in several weekends of running. Clutch manufacturers, too, find that karts don't act like the docile applications for which the product was designed and new linings, springs, shoes and drums are tested and sold to meet the challenge. Feeling that most karts follow a pretty common pattern, one design company offers plans of new, fresh ideas for karts for an insatiable karting public eager to try, build or buy. Karting is as American as the cheeseburger and as great as the Grand Canyon, Karting is BIG business.

H

ended laim. sional ng to show home. \$5.00 guarioned rules ocket local 10.00. ed to

erica

rsey.

:55

feel-

f ma-

d for

karts

f seat

uppli-

est in

them

pular

s are

point

pping

actur-

pro-

with

ted to

eeling

enthu-

r tires

nt on

ds of

, too,

docile

ct was

rings,

d sold

that

mmon

offers

karts

eager

is as

and as

arting

MOTEU



I RECENTLY PICKED UP an SAE technical paper on — of all things — go-kart design! It was written by Lyle Forsgren, a graduate student at the University of Washington, and he gave some good ideas on chassis setup that should be passed along.

For one thing, the oversteer-understeer relationship can be controlled to some extent on a go-kart by varying front end caster. ("Caster" refers to slanting the kingpin back at the top, so the centerline, if extended, will contact the road ahead of the tire center.) If you think about it a second you will see that this caster angle will cause the inside front corner of the car to be raised slightly when you turn the wheel—and the outside front will dip slightly. Under centrifugal force this gives us, in effect, a three-wheel car, since the frame will tilt and lift the inside rear tire. The overall effect is to increase the front end bite and make the rear wash out first. So try 3 to 10 degrees of positive front caster if you're bothered with front end wash-out and ploughing. (Incidentally, Forsgren is now building a car with adjustable caster and camber, to compensate for different courses.)

Speaking of camber - the tilt of the wheel in a direction across the chasis - by tilting the front wheels inward at the top (negative camber) you can slightly increase the maximum cornering power of the tire in the direction of the tilt. Forsgren recommends about 3 degrees negative camber for best all-around results, Our friend has also experimented a lot with locked, semi-locked and unlocked rear ends on his karts. At one time he used a unique ratchet-type differential that allowed sharp cornering without dragging a wheel, but prevented wheelspin. But he finally came back to the solid locked rear as being the best compromise between handling and traction. Equal torque loading on the two rear tires at all times gives a stability on hard corners - especially with the bigger engines up to 12 hp - that cannot be had with a differential or one-wheel drive. Forsgren has still another interesting theory that the frame should have lots of beam, or bending, stiffness, but not too much resistance to twisting. The twisting wil let the tires follow irregularities in the track surface - to give better traction - while the bending rigidity is needed to support the vertical loads on the car. This effect can be achieved in practice by using truss-type side members, but with relatively few cross members.

Anyway, it's obvious that our Mr. Forsgren has done some 500watt thinking about the engineering aspects of go-kart racing...

and that's what we need to make this sport go. . •

Introducing the

HELL

THE HOTTEST KART GOING!

ZOOMING down the track, you have the quick-as-a-cat response-instantly, you feel the HELLCAT take your slightest driving effort and convert it into the hottest, sweetest handling Kart going.

Outstanding race-car design brings you all of the speed and performance possible. Yet, safety and endurance are retained.

Meets all requirements of AKMA championship competition regulations

HELLCAT quick-change features offer completely flexible planning for both Class A. Class B and Class C competition. Basically a Class A Kart, the HELLCAT can be quickly converted to the Class B WILDCAT Model with quick-change assembly units.

QUICK-CHANGE

DEMAND-ACTION

RESPONSE

RACING


RED HOT Class B WILDCAT

Instantly converted from basic HELLCAT Model, the WILDCAT is the big threat in any Class B competi-



...and it really GOES!

NO OTHER KART OFFERS SUCH FLEXIBILITY - Available in kit or assembled models. Powered by West Bend engine.



DESIGNED FOR SPEED

by Frank Kurtis designer of over 120 Indianapolis 500 competition cars.



Frank Kurtis



USTOM


PERCIVAL COMPANY, INC. **BOX 703, BOONE, IOWA**

Please send me FREE information The NEW

HELLCAT & WILDCAT NAME _____

ADDRESS _____ ____ STATE_ CITY_

Dealer Inquiries Invited





For the tops in competition go karting, or fun that all the family can enjoy, insist on the consistency and dependability found in the Go Kart 400B. Race fans around the country have been thrilled by the phenomenal speeds and designed-in handling qualities that have made winners out of the same karts priced and built for low-cost family pleasure. For prices on plain and competition models see our ad on page 7.

Further proof of Go Kart's quality and dependability was evidenced recently when a single engined Go Kart completed seven days and nights of closed road course running for a total of 5,260 miles. This was done without structural failure of stock Go Kart components and necessitated only routine maintenance and service. The full story, including many sidelights and photos, records set and other statistics may be had by writing for a free booklet. Ask for "Project Endurance", the story of how a consistent winner over the stopwatch went on to conquer the calendar as well.

To order your Go Kart today, simply send \$25.—balance COD. Prices start as low as \$129.50 for a complete kit, ready to build and go. Four color descriptive brochures on the Go Kart and Cycle just 25¢.

Go I

manufacturing company, inc. 6305 irwindale, azusa, calif

nd de-

when seven is was ock Go only he full photos, ay be ask for how a h went ... 29.50

lif